

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
November 10, 2000

Group
3737

U.S. PATENT DOCUMENTS

| *Exam. Init. | Document No. | Date | Name | Class | Subclass | Filing Date if Appropriate |
|-----------------|---------------|--------------------|---------------------------|-------|----------|-------------------------------|
| OK | 2 3 3 9 7 5 4 | January 25, 1944 | P.H. Brace | | | |
| | 4 6 0 1 0 3 6 | July 15, 1986 | Faxvog et al | | | |
| | 4 6 3 1 4 9 8 | December 23, 1986 | Cutler | | | |
| | 4 8 6 8 8 3 4 | September 19, 1989 | Fox et al | | | |
| | 4 9 2 5 3 0 2 | May 15, 1990 | Cutler | | | |
| | 4 9 6 5 4 4 1 | October 23, 1990 | Picard | | | |
| | 4 9 9 3 8 3 4 | February 19, 1991 | Carlhoff et al | | | |
| | 5 0 4 0 8 8 9 | August 20, 1991 | Keane | | | |
| | 5 0 4 6 5 0 1 | September 10, 1991 | Crilly | | | |
| | 5 1 2 0 9 5 3 | June 9, 1992 | Harris | | | |
| | 5 1 9 7 4 7 0 | March 30, 1993 | Helfer et al | | | |
| | 5 2 9 3 8 7 2 | March 15, 1994 | Alfano et al | | | |
| | 5 3 1 7 3 8 9 | May 31, 1994 | Hochberg et al | | | |
| | 5 3 5 3 7 9 0 | October 11, 1994 | Jacques et al | | | |
| | 5 3 8 3 4 6 7 | January 24, 1995 | Auer et al | | | |
| | 5 4 1 9 3 2 3 | May 30, 1995 | Kittrell et al | | | |
| | 5 4 3 9 0 0 0 | August 8, 1995 | Gunderson et al | | | |
| | 5 4 4 1 0 5 3 | August 15, 1995 | Lodder et al | | | |
| | 5 4 5 9 5 7 0 | October 17, 1995 | Swanson et al | | | |
| | 5 4 6 5 1 4 7 | November 7, 1995 | Swanson | | | |
| | 5 4 8 6 7 0 1 | January 23, 1996 | Norton et al | | | |
| | 5 4 9 1 5 5 2 | February 13, 1996 | Kittrell | | | |
| | 5 5 6 2 1 0 0 | October 8, 1996 | Kittrell et al | | | |
| | 5 5 8 3 3 4 2 | December 10, 1996 | Koji Ichie | | | |
| | 5 5 9 0 6 6 0 | January 7, 1997 | MacAulay et al | | | |
| | 5 6 0 1 0 8 7 | February 11, 1997 | Richards- Kortum et al | | | |

4845-8793-830511

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
November 10, 2000

Group
3737

(Use several sheets if necessary)

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|--------------------|------------------------|--|--|--|
| 5 | 6 | 9 | 7 | 3 | 7 | 3 | December 16, 1997 | Gunderson et al | | | |
| 5 | 7 | 1 | 9 | 3 | 9 | 9 | February 17, 1998 | Alfano et al | | | |
| 5 | 7 | 4 | 8 | 5 | 9 | 8 | May 5, 1998 | Swanson et al | | | |
| 5 | 7 | 8 | 4 | 3 | 5 | 2 | July 21, 1998 | Swanson et al. | | | |
| 5 | 7 | 9 | 5 | 2 | 9 | 5 | August 18, 1998 | Hellmuth et al | | | |
| 5 | 8 | 0 | 3 | 0 | 8 | 2 | September 8, 1998 | Stapleton et al | | | |
| 5 | 8 | 4 | 0 | 0 | 2 | 3 | November 24, 1998 | Oraevsky et al | | | |
| 5 | 8 | 4 | 2 | 9 | 9 | 5 | December 1, 1998 | Mahadevan-Jansen et al | | | |
| 5 | 8 | 6 | 5 | 7 | 5 | 4 | February 2, 1999 | Sevick-Muraca et al | | | |
| 5 | 8 | 7 | 1 | 4 | 4 | 9 | February 16, 1999 | David Lloyd Brown | | | |
| 5 | 9 | 2 | 1 | 9 | 2 | 6 | July 13, 1999 | Rolland et al | | | |
| 5 | 9 | 5 | 6 | 3 | 5 | 5 | September 21, 1999 | Swanson et al | | | |
| 5 | 9 | 6 | 8 | 0 | 6 | 4 | October 19, 1999 | Selmon et al | | | |
| 5 | 9 | 8 | 7 | 3 | 4 | 6 | November 16, 1999 | Benaron et al | | | |
| 5 | 9 | 9 | 4 | 6 | 9 | 0 | November 30, 1999 | Kulkarni et al | | | |
| 6 | 0 | 0 | 6 | 1 | 2 | 8 | December 21, 1999 | Izatt et al | | | |
| 6 | 0 | 1 | 0 | 4 | 4 | 9 | January 4, 2000 | Selmon et al. | | | |
| 6 | 0 | 3 | 3 | 7 | 2 | 1 | March 7, 2000 | Nikos Nassuphis | | | |
| 6 | 0 | 4 | 4 | 2 | 8 | 8 | March 28, 2000 | Wake et al | | | |
| 6 | 0 | 4 | 8 | 7 | 4 | 2 | April 11, 2000 | Weyburne et al | | | |
| 6 | 0 | 6 | 9 | 6 | 9 | 8 | May 30, 2000 | Ozawa et al | | | |
| 6 | 0 | 9 | 1 | 9 | 8 | 4 | July 18, 2000 | Perelman et al | | | |
| 6 | 1 | 1 | 1 | 6 | 4 | 5 | August 29, 2000 | Tearney et al | | | |
| 6 | 1 | 1 | 7 | 1 | 2 | 8 | September 12, 2000 | Kenton W. Gregory | | | |
| 6 | 1 | 2 | 0 | 5 | 1 | 6 | September 19, 2000 | Selmon et al | | | |
| 6 | 1 | 3 | 4 | 0 | 0 | 3 | October 17, 2000 | Tearney et al | | | |
| 6 | 1 | 4 | 1 | 5 | 7 | 7 | October 31, 2000 | Rolland et al | | | |

4845-8793-8305\1

Examiner

Date Considered


11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162



**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
November 10, 2000

Group
3737

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|--------------------|----------------------------|--|--|--|
| 6 | 1 | 5 | 1 | 5 | 2 | 2 | November 21, 2000 | Alfano et al | | | |
| 6 | 1 | 5 | 9 | 4 | 4 | 5 | December 12, 2000 | Klaveness et al | | | |
| 6 | 1 | 6 | 0 | 8 | 2 | 6 | December 12, 2000 | Swanson et al | | | |
| 6 | 1 | 6 | 1 | 0 | 3 | 1 | December 12, 2000 | Hochmann et al | | | |
| 6 | 1 | 7 | 5 | 6 | 6 | 9 | January 16, 2001 | Colston et al | | | |
| 6 | 1 | 8 | 5 | 2 | 7 | 1 | February 6, 2001 | Richard Estyn Kinsinger | | | |
| 6 | 1 | 9 | 1 | 8 | 6 | 2 | February 20, 2001 | Swanson et al | | | |
| 6 | 2 | 0 | 1 | 9 | 8 | 9 | March 13, 2001 | Whitehead et al. | | | |
| 6 | 2 | 0 | 8 | 8 | 8 | 7 | March 27, 2001 | Richard H. Clarke | | | |
| 6 | 2 | 8 | 2 | 0 | 1 | 1 | August 28, 2001 | Tearney et al | | | |
| 6 | 3 | 4 | 1 | 0 | 3 | 6 | January 22, 2002 | Tearney et al | | | |
| 6 | 3 | 7 | 7 | 3 | 4 | 9 | April 23, 2002 | Adolf Friedrich Fercher | | | |
| 6 | 4 | 2 | 1 | 1 | 6 | 4 | July 16, 2002 | Tearney et al | | | |
| 6 | 4 | 8 | 5 | 4 | 1 | 3 | November 26, 2002 | Boppart et al | | | |
| 6 | 4 | 8 | 5 | 4 | 8 | 2 | November 26, 2002 | W. Martin Belef | | | |
| 6 | 5 | 0 | 1 | 5 | 5 | 1 | December 31, 2002 | Tearney et al | | | |
| 6 | 5 | 5 | 2 | 7 | 9 | 6 | April 22, 2003 | Magnin et al | | | |
| 6 | 5 | 6 | 4 | 0 | 8 | 7 | May 13, 2003 | Pitris et al | | | |
| 6 | 6 | 2 | 2 | 7 | 3 | 2 | September 23, 2003 | Brent R. Constantz | | | |
| 6 | 6 | 8 | 5 | 8 | 8 | 5 | February 3, 2004 | Nolte et al. | | | |
| 6 | 6 | 8 | 7 | 0 | 0 | 7 | February 3, 2004 | Meigs | | | |
| 6 | 8 | 0 | 6 | 9 | 6 | 3 | October 19, 2004 | Wälti et al. | | | |
| 2002 | 0 | 1 | 6 | 1 | 3 | 5 | October 31, 2002 | Rox et al. | | | |
| 2002 | 0 | 1 | 6 | 3 | 6 | 2 | November 7, 2002 | Magnin et al. | | | |
| 2003 | 0 | 0 | 2 | 3 | 1 | 5 | January 30, 2003 | Izatt et al | | | |
| 2003 | 0 | 2 | 3 | 6 | 4 | 4 | December 25, 2003 | Cespedes et al | | | |
| 2003 | 0 | 0 | 2 | 6 | 7 | 3 | February 6, 2003 | Nolte et al. | | | |
| 2004 | 0 | 1 | 6 | 6 | 5 | 9 | August 26, 2004 | Nolte et al. | | | |

4845-8793-830511

Examiner

Date Considered


11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162



**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
November 10, 2000

Group
3737

| | | | | | | | | | | | | | |
|--|------|---|---|---|---|---|---|---|--------------------|---------------------|--|--|--|
| | | 5 | 7 | 1 | 0 | 6 | 3 | 0 | January 20, 1998 | Essenpreis et al. | | | |
| | | 5 | 8 | 0 | 7 | 2 | 6 | 1 | September 15, 1998 | Benaron et al. | | | |
| | | 5 | 9 | 5 | 1 | 4 | 8 | 2 | September 14, 1999 | Winston et al. | | | |
| | | 5 | 9 | 8 | 3 | 1 | 2 | 5 | November 9, 1999 | Alfano et al. | | | |
| | | 6 | 1 | 3 | 4 | 0 | 1 | 0 | October 17, 2000 | Zavislan | | | |
| | | 6 | 1 | 9 | 3 | 6 | 7 | 6 | February 27, 2001 | Winston et al. | | | |
| | | 6 | 3 | 0 | 8 | 0 | 9 | 2 | October 23, 2001 | Hoyns | | | |
| | | 6 | 3 | 9 | 3 | 3 | 1 | 2 | May 21, 2002 | Hoyns | | | |
| | | 6 | 3 | 9 | 4 | 9 | 6 | 4 | May 28, 2002 | Sievert, Jr. et al. | | | |
| | | 6 | 4 | 4 | 5 | 9 | 4 | 4 | September 3, 2002 | Ostrovsky | | | |
| | | 6 | 4 | 6 | 3 | 3 | 1 | 3 | October 8, 2002 | Winston et al. | | | |
| | | 5 | 9 | 2 | 0 | 3 | 9 | 0 | July 6, 1999 | Farahi et al. | | | |
| | | 4 | 9 | 2 | 8 | 0 | 0 | 5 | May 22, 1990 | Lefèvre et al. | | | |
| | | 5 | 2 | 0 | 2 | 7 | 4 | 5 | April 13, 1993 | Sorin et al. | | | |
| | | 5 | 5 | 6 | 5 | 9 | 8 | 6 | October 15, 1996 | Knüttel | | | |
| | | 5 | 8 | 4 | 7 | 8 | 2 | 7 | December 8, 1998 | Fercher | | | |
| | | 5 | 8 | 7 | 7 | 8 | 5 | 6 | March 2, 1999 | Fercher | | | |
| | | 5 | 9 | 2 | 0 | 3 | 7 | 3 | July 6, 1999 | Bille | | | |
| | | 5 | 9 | 9 | 1 | 6 | 9 | 7 | November 23, 1999 | Nelson et al. | | | |
| | | 6 | 2 | 0 | 8 | 4 | 1 | 5 | March 27, 2001 | De Boer et al. | | | |
| | | 6 | 5 | 4 | 9 | 8 | 0 | 1 | April 15, 2003 | Chen et al. | | | |
| | 2002 | 0 | 1 | 9 | 6 | 4 | 4 | 6 | December 26, 2002 | Roth et al. | | | |
| | 2002 | 0 | 1 | 9 | 8 | 4 | 5 | 7 | December 26, 2002 | Tearney et al. | | | |
| | | 5 | 4 | 9 | 1 | 5 | 2 | 4 | February 13, 1996 | Hellmuth et al. | | | |
| | | 6 | 6 | 8 | 0 | 7 | 8 | 0 | January 20, 2004 | Fee | | | |
| | 2003 | 0 | 1 | 3 | 5 | 1 | 0 | 1 | July 17, 2003 | Webler | | | |
| | | 6 | 9 | 8 | 0 | 2 | 9 | 9 | December 27, 2005 | de Boer | | | |
| | | 6 | 1 | 6 | 6 | 3 | 7 | 3 | December 26, 2000 | Mao | | | |
| | | 6 | 4 | 6 | 9 | 8 | 4 | 6 | October 22, 2002 | Ebizuka et al. | | | |

4845-8793-8305\1

Examiner

[Signature]

Date Considered


11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162



INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
November 10, 2000

Group
3737

| | | | | | | | | | | | | | |
|----|------|---|---|---|---|---|---|---|--------------------|---------------------|--|--|--|
| OK | | 5 | 6 | 2 | 3 | 3 | 3 | 6 | April 22, 1997 | Raab et al. | | | |
| | | 5 | 2 | 6 | 2 | 6 | 4 | 4 | November 16, 1993 | Maguire | | | |
| | | 5 | 1 | 2 | 7 | 7 | 3 | 0 | July 7, 1992 | Brelje et al. | | | |
| | | 5 | 2 | 4 | 8 | 8 | 7 | 6 | September 28, 1993 | Kerstens et al. | | | |
| | | 5 | 3 | 0 | 4 | 8 | 1 | 0 | April 19, 1994 | Amos | | | |
| | | 5 | 4 | 5 | 9 | 3 | 2 | 5 | October 17, 1995 | Hueton et al. | | | |
| | | 5 | 5 | 2 | 6 | 3 | 3 | 8 | June 11, 1996 | Hasman et al. | | | |
| | | 5 | 6 | 9 | 8 | 3 | 9 | 7 | December 16, 1997 | Zarling et al. | | | |
| | | 5 | 8 | 8 | 7 | 0 | 0 | 9 | March 23, 1999 | Mandella et al. | | | |
| | | 5 | 0 | 4 | 5 | 9 | 3 | 6 | September 3, 1991 | Lobb et al. | | | |
| | | 5 | 2 | 9 | 1 | 8 | 8 | 5 | March 8, 1994 | Taniji et al. | | | |
| | | 5 | 2 | 9 | 3 | 8 | 7 | 3 | March 15, 1994 | Fang | | | |
| | | 5 | 0 | 6 | 5 | 3 | 3 | 1 | November 1991 | Vachon et al. | | | |
| | 2001 | 0 | 0 | 4 | 7 | 1 | 3 | 7 | November 2001 | Moreno et al. | | | |
| | 2002 | 0 | 0 | 1 | 6 | 5 | 3 | 3 | February 7, 2002 | Marchitto et al. | | | |
| | | 6 | 8 | 1 | 6 | 7 | 4 | 3 | November 9, 2004 | Moreno et al. | | | |
| | | 6 | 3 | 2 | 4 | 4 | 1 | 9 | November 27, 2001 | Guzelsu et al. | | | |
| | | 6 | 5 | 6 | 4 | 0 | 8 | 9 | May 13, 2003 | Izatt et al. | | | |
| | | 6 | 1 | 9 | 8 | 9 | 5 | 6 | March 6, 2001 | Dunne, Shane | | | |
| | | 5 | 7 | 3 | 5 | 2 | 7 | 6 | April 7, 1998 | Lemelson, Jerome | | | |
| | | 6 | 5 | 5 | 8 | 3 | 2 | 4 | May 6, 2003 | Von Behren et al. | | | |
| | | 5 | 9 | 4 | 9 | 9 | 2 | 9 | September 7, 1999 | Hamm | | | |
| | | 6 | 3 | 5 | 3 | 6 | 9 | 3 | March 5, 2002 | Kano et al. | | | |
| | | 5 | 0 | 3 | 9 | 1 | 9 | 3 | August 13, 1991 | Snow et al. | | | |
| | 2002 | 0 | 1 | 2 | 2 | 2 | 4 | 6 | September 5, 2002 | Tearney et al. | | | |
| | | 6 | 6 | 8 | 7 | 0 | 1 | 0 | February 2004 | Horii et al. | | | |
| | | 4 | 2 | 9 | 5 | 7 | 3 | 8 | October 20, 1981 | Meltz et al. | | | |
| | | 4 | 3 | 0 | 0 | 8 | 1 | 6 | November 17, 1981 | Snitzer et al. | | | |
| | | 4 | 7 | 7 | 0 | 4 | 9 | 2 | September 13, 1988 | Levin et al. | | | |

4845-8793-8305\1

Examiner

Ans K

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

U.S. PATENT DOCUMENTS

| *Exam. Init. | Document No. | Date | Name | Class | Subclass | Filing Date if Appropriate |
|-----------------|--------------|------|------|-------|----------|-------------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENT

| | Document No. | Date | Country | Class | SubClass | Translator Yes No |
|-----------|---------------|--------------------|---------------|-------|----------|----------------------|
| <i>OK</i> | 4 3 0 9 0 5 6 | September 22, 1994 | Germany | | | |
| | 2 2 0 9 2 2 1 | May 4, 1989 | Great Britain | | | |
| | 0 1 1 0 2 0 1 | June 13, 1984 | European | | | |
| | 0 2 5 1 0 6 2 | January 7, 1988 | European | | | |
| | 9 2 1 9 9 3 0 | November 12, 1992 | WIPO | | | |
| | 9 3 0 3 6 7 2 | March 4, 1993 | WIPO | | | |
| | 9 7 3 2 1 8 2 | September 4, 1997 | WIPO | | | |
| | 9 8 3 5 2 0 3 | August 13, 1998 | WIPO | | | |
| | 9 9 4 4 0 8 9 | September 2, 1999 | WIPO | | | |
| | 9 9 5 7 5 0 7 | November 11, 1999 | WIPO | | | |
| | 0 0 5 8 7 6 6 | October 5, 2000 | WIPO | | | |
| | 0 1 4 2 7 3 5 | June 14, 2001 | WIPO | | | |
| | 0 2 5 4 0 2 7 | July 11, 2002 | WIPO | | | |
| 0 | 3 0 2 0 1 1 9 | March 13, 2003 | WIPO | | | |
| | 0 1 3 8 8 2 0 | May 31, 2001 | WIPO* | | | |
| 0 | 4 1 0 5 5 9 8 | December 9, 2004 | WIPO | | | |
| | 0 2 3 6 0 1 5 | May 10, 2002 | WIPO** | | | |
| | 0 2 3 8 0 4 0 | May 16, 2002 | WIPO** | | | |
| | 1 4 2 6 7 9 9 | June 9, 2004 | European ** | | | |
| 1 | 9 5 4 2 9 5 5 | May 22, 1997 | Germany ** | | | |
| 0 | 3 0 6 2 8 0 2 | July 31, 2003 | WIPO** | | | |

Examiner

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|-------------------|-----------|--|--|--|--|
| 9 | 5 | 3 | 3 | 9 | 7 | 1 | December 14, 1995 | WIPO** | | | | |
| 9 | 8 | 1 | 4 | 1 | 3 | 2 | April 9, 1998 | WIPO*** | | | | |
| 9 | 8 | 4 | 8 | 8 | 3 | 8 | November 5, 1998 | WIPO*** | | | | |
| 4 | 1 | 3 | 5 | 5 | 5 | 0 | May 11, 1992 | Japan *** | | | | |
| 4 | 1 | 3 | 5 | 5 | 5 | 1 | May 11, 1992 | Japan *** | | | | |

* U.S. equivalent is provided.

** References cited in International Search Report

*** References cited in Japanese Patent Application No. 2002-538830

**** References cited in Office Action dated August 24, 2006 for U.S. Patent Application No. 10/137,749

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

| | | | |
|--|--|--|--|
| | | | Fujimoto et al., "High Resolution in Vivo Intra-Arterial Imaging with Optical Coherence Tomography," <u>Official Journal of the British Cardiac Society</u> , Vol. 82, pages 128-133 Heart, 1999 |
| | | | D. Huang et al., "Optical Coherence Tomography," <u>SCIENCE</u> , Vol. 254, pages 1178-1181, November 1991 |
| | | | Tearney et al., "High-Speed Phase -and Group Delay Scanning with a Grating Based Phase Control Delay Line," <u>Optics Letters</u> , Vol. 22, Pages 1811-1813, December 1997 |
| | | | Rollins, et al., "In Vivo Video Rate Optical Coherence Tomography," <u>Optics Express</u> , Vol. 3, pages 219-229, September 1998 |
| | | | Saxer, et al., High Speed Fiber-Based Polarization-Sensitive Optical Coherence Tomography of in Vivo Human Skin," <u>Optical Society of America</u> , Vol. 25, pages 1355-1357, September 2000 |
| | | | Oscar Eduardo Martinez, "3000 Times Grating Compress or with Positive Group Velocity Dispersion," <u>IEEE</u> , Vol. QE-23, pages 59-64, January 1987 |
| | | | Kulkarni, et al., "Image Enhancement in Optical Coherence Tomography Using Deconvolution," <u>Electronics Letters</u> , Vol. 33, pages 1365-1367, July 1997 |
| | | | Bashkansky, et al., "Signal Processing for Improving Field Cross-Correlation Function in Optical Coherence Tomography," <u>Optics & Photonics News</u> , Vol. 9, pages 8137-8138, May 1998 |

Examiner

Gene L

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Yung et al., "Phase-Domain Processing of Optical Coherence Tomography Images," <u>Journal of Biomedical Optics</u> , Vol. 4, pages 125-136, January 1999 |
| | | Tearney, et al., "In Vivo Endoscopic Optical Biopsy with Optical Coherence Tomography," <u>SCIENCE</u> , Vol. 276, June 1997 |
| | | W. Drexler et al., "In Vivo Ultrahigh-Resolution Optical Coherence Tomography," <u>Optics Letters</u> Vol. 24, pp. 1221-3, September 1999 |
| | | Nicusor V. Ifimia et al., "A Portable, Low Coherence Interferometry Based Instrument for Fine Needle Aspiration Biopsy Guidance," Accepted to Review of Scientific Instruments, 2005 |
| | | Abbas, G.L., V.W.S. Chan et al., "Local-Oscillator Excess-Noise Suppression for Homodyne and Heterodyne-Detection," <u>Optics Letters</u> , Vol. 8, pages 419-421, August 1983 issue |
| | | Agrawal, G.P., "Population Pulsations and Nondegenerate 4-Wave Mixing in Semiconductor-Lasers and Amplifiers," <u>Journal Of The Optical Society Of America B-Optical Physics</u> , Vol. 5, pages 147-159, January 1998 |
| | | Andretzky, P. et al., "Optical Coherence Tomography by Spectral Radar: Improvement of Signal-to-Noise Ratio," <u>The International Society for Optical Engineering, USA</u> , Vol. 3915, 2000 |
| | | Ballif, J. et al., "Rapid and Scalable Scans at 21 m/s in optical Low-Coherence Reflectometry," <u>Optics Letters</u> , Vol. 22, pages 757-759, June 1997 |
| | | Barfuss H. et al., "Modified Optical Frequency-Domain Reflectometry with High Spatial-Resolution for Components of Integrated Optic Systems," <u>Journal Of Lightwave Technology</u> , Vol. 7, pages 3-10, January 1989 |
| | | Beaud, P. et al., "Optical Reflectometry with Micrometer Resolution for the Investigation of Integrated Optical-Devices," <u>IEEE Journal of Quantum Electronics</u> , Vol. 25, pages 755-759, April 1989 |
| | | Bouma, Brett et al., "Power-Efficient Nonreciprocal Interferometer and Linear-Scanning Fiber-Optic Catheter for Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 24, pages 531-533, April 1999 |
| | | Brinkmeyer, E. et al., "Efficient Algorithm for Non-Equidistant Interpolation of Sampled Data," <u>Electronics Letters</u> , Vol. 28, page 693, March 1992 |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| OK | | Brinkmeyer, E. et al., "High-Resolution OCDR in Dispersive Wave-Guides," <u>Electronics Letters</u> , Vol. 26, pages 413-414, March 1990 |
| | | Chinn, S.R. et al., "Optical Coherence Tomography Using a Frequency-Tunable Optical Source," <u>Optics Letters</u> , Vol. 22, pages 340-342, March 1997 |
| | | Danielson, B.L. et al., "Absolute Optical Ranging Using Low Coherence Interferometry," <u>Applied Optics</u> , Vol. 30, page 2975, July 1991 |
| | | Dorrer, C. et al., "Spectral Resolution and Sampling Issues in Fourier-Transform Spectral Interferometry," <u>Journal of the Optical Society of America B-Optical Physics</u> , Vol. 17, pages 1795-1802, October 2000 |
| | | Dudley, J.M. et al., "Cross-Correlation Frequency Resolved Optical Gating Analysis of Broadband Continuum Generation in Photonic Crystal Fiber: Simulations and Experiments," <u>Optics Express</u> , Vol. 10, page 1215, October 2002 |
| | | Eickhoff, W. et al., "Optical Frequency-Domain Reflectometry in Single-Mode Fiber," <u>Applied Physics Letters</u> , Vol. 39, pages 693-695, 1981 |
| | | Fercher, Adolf "Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 1, pages 157-173, April 1996 |
| | | Ferreira, L.A. et al., "Polarization-Insensitive Fiberoptic White-Light Interferometry," <u>Optics Communications</u> , Vol. 114, pages 386-392, February 1995 |
| | | Fujii, Yohji, "High-Isolation Polarization-Independent Optical Circulator", <u>Journal of Lightwave Technology</u> , Vol. 9, pages 1239-1243, October 1991 |
| | | Glance, B., "Polarization Independent Coherent Optical Receiver," <u>Journal of Lightwave Technology</u> , Vol. LT-5, page 274, February 1987 |
| | | Glombitza, U., "Coherent Frequency-Domain Reflectometry for Characterization of Single-Mode Integrated-Optical Wave-Guides," <u>Journal of Lightwave Technology</u> , Vol. 11, pages 1377-1384, August 1993 |

Examiner

Sam He

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| JK | | Golubovic, B. et al., "Optical Frequency-Domain Reflectometry Using Rapid Wavelength Tuning of a Cr4+:Forsterite Laser," <u>Optics Letters</u> , Vol. 11, pages 1704-1706, November 1997 |
| 1 | | Haberland, U. H. P. et al., "Chirp Optical Coherence Tomography of Layered Scattering Media," <u>Journal of Biomedical Optics</u> , Vol. 3, pages 259-266, July 1998 |
| | | Hammer, Daniel X. et al., "Spectrally Resolved White-Light Interferometry for Measurement of Ocular Dispersion," <u>Journal of the Optical Society of America A-Optics Image Science and Vision</u> , Vol. 16, pages 2092-2102, September 1999 |
| | | Harvey, K. C. et al., "External-Cavity Diode-Laser Using a Grazing-Incidence Diffraction Grating," <u>Optics Letters</u> , Vol. 16, pages 910-912, June 1991 |
| | | Hausler, Gerd et al., "'Coherence Radar' and 'Spectral Radar' New Tools for Dermatological Diagnosis," <u>Journal of Biomedical Optics</u> , Vol., 3, pages 21-31, January 1998 |
| | | Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," <u>Journal of the Optical Society of America B (Optical Physics)</u> , Vol. 9, page 903-908, June 1992 |
| | | Hotate Kazuo et al., "Optical Coherence Domain Reflectometry by Synthesis of Coherence Function," <u>Journal of Lightwave Technology</u> , Vol. 11, pages 1701-1710, October 1993 |
| | | Inoue, Kyo et al., "Nearly Degenerate 4-Wave-Mixing in a Traveling-Wave Semiconductor-Laser Amplifier," <u>Applied Physics Letters</u> , Vol. 51, pages 1051-1053, 1987 |
| | | Ivanov, A. P. et al., "New Method for High-Range Resolution Measurements of Light Scattering in Optically Dense Inhomogeneous Media," <u>Optics Letters</u> , Vol. 1, pages 226-228, December 1977 |
| | | Ivanov, A. P. et al., "Interferometric Study of the Spatial Structure of a Light-Scattering Medium," <u>Journal of Applied Spectroscopy</u> , Vol. 28, pages 518-525, 1978 |
| | | Kazovsky, L. G. et al., "Heterodyne Detection Through Rain, Snow, and Turbid Media: Effective Receiver Size at Optical Through Millimeter Wavelengths," <u>Applied Optics</u> , Vol. 22, pages 706-710, March 1983 |

Examiner

Jan

Date Considered

11/10/00

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|--|
| | | Kersey, A. D. et al., "Adaptive Polarization Diversity Receiver Configuration for Coherent Optical Fiber Communications," <u>Electronics Letters</u> , Vol. 25, pages 275-277, February 1989 |
| | | Kohlhaas, Andreas et al., "High-Resolution OCDR for Testing Integrated-Optical Waveguides: Dispersion-Corrupted Experimental Data Corrected by a Numerical Algorithm," <u>Journal of Lightwave Technology</u> , Vol. 9, pages 1493-1502, November 1991 |
| | | Larkin, Kieran G., "Efficient Nonlinear Algorithm for Envelope Detection in White Light Interferometry," <u>Journal of the Optical Society of America A-Optics Image Science and Vision</u> , Vol. 13, pages 832-843, April 1996 |
| | | Leitgeb, R. et al., "Spectral measurement of Absorption by Spectroscopic Frequency-Domain Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 25, pages 820-822, June 2000 |
| | | Lexer, F. et al., "Wavelength-Tuning Interferometry of Intraocular Distances," <u>Applied Optics</u> , Vol. 36, pages 6548-6553, September 1997 |
| | | Mitsui, Takahisa, "Dynamic Range of Optical Reflectometry with Spectral Interferometry," <u>Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers</u> , Vol. 38, pages 6133-6137, 1999 |
| | | Naganuma, Kazunori et al., "Group-Delay Measurement Using the Fourier-Transform of an Interferometric Cross-Correlation Generated by White Light," <u>Optics Letters</u> , Vol. 15, pages 393-395, April 1990 |
| | | Okoshi, Takanori, "Polarization-State Control Schemes for Heterodyne or Homodyne Optical Fiber Communications," <u>Journal of Lightwave Technology</u> , Vol. LT-3, pages 1232-1237, December 1995 |
| | | Passy, R. et al., "Experimental and Theoretical Investigations of Coherent OFDR with Semiconductor-Laser Sources," <u>Journal of Lightwave Technology</u> , Vol. 12, pages 1622-1630, September 1994 |
| | | Podoleanu, Adrian G., "Unbalanced Versus Balanced Operation in an Optical Coherence Tomography System," <u>Applied Optics</u> , Vol. 39, pages 173-182, January 2000 |
| | | Price, J. H. V. et al., "Tunable, Femtosecond Pulse Source Operating in the Range 1.06-1.33 μ m Based on an Yb ³⁺ -doped Holey Fiber Amplifier," <u>Journal of the Optical Society of America B-Optical Physics</u> , Vol. 19, pages 1286-1294, June 2002 |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245


Serial No.
09/709,162


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney


Filing Date
November 10, 2000


Group
3737


 Schmitt, J. M. et al, "Measurement of Optical-Properties of Biological Tissues By Low-Coherence Reflectometry," Applied Optics, Vol. 32, pages 6032-6042, October 1993


 Silberberg, Y. et al., "Passive-Mode Locking of a Semiconductor Diode-Laser," Optics Letters, Vol. 9, pages 507-509, November 1984


 Smith, L. Montgomery et al., "Absolute Displacement Measurements Using Modulation of the Spectrum of White-Light in a Michelson Interferometer," Applied Optics, Vol. 28, pages 3339-3342, August 1989


 Sonnenschein, C. M. et al., "Signal-To-Noise Relationships for Coaxial Systems that Heterodyne Backscatter from Atmosphere," Applied Optics, Vol. 10, pages 1600-1604, July 1971


 Sorin, W. V. et al., "Measurement of Rayleigh Backscattering at 1.55 μ m with 32 μ m Spatial Resolution," IEEE Photonics Technology Letters, Vol. 4, pages 374-376, April 1992


 Sorin, W. V. et al., "A Simple Intensity Noise-Reduction Technique for Optical Low-Coherence Reflectometry," IEEE Photonics Technology Letters, Vol. 4, pages 1404-1406, December 1992

 Swanson, E. A. et al., "High-Speed Optical Coherence Domain Reflectometry," Optics Letters, Vol. 17, pages 151-153, January 1992


 Takada, K. et al., "High-Resolution OFDR with Incorporated Fiberoptic Frequency Encoder," IEEE Photonics Technology Letters, Vol. 4, pages 1069-1072, September 1992

 Takada, Kazumasa et al., "Narrow-Band light Source with Acoustooptic Tunable Filter for Optical Low-Coherence Reflectometry," IEEE Photonics Technology Letters, Vol. 8, pages 658-660, May, 1996

 Takada, Kazumasa et al., "New Measurement System for Fault Location in Optical Wave-Guide Devices Based on an Interometric-Technique," Applied Optics, Vol. 26, pages 1603-1606, May 1987

 Tateda, Mitsuhiro et al., "Interferometric Method for Chromatic Dispersion Measurement in a Single-Mode Optical Fiber," IEEE Journal Of Quantum Electronics, Vol. 17, pages 404-407, March 1981

Examiner



Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

OK Toide, M. et al., "Two-Dimensional Coherent Detection Imaging in Multiple Scattering Media Based the Directional Resolution Capability of the Optical Heterodyne Method," Applied Physics B (Photophysics and Laser Chemistry), Vol. B52, pages 391-394, 1991

Trutna, W. R. et al., "Continuously Tuned External-Cavity Semiconductor-Laser," Journal of Lightwave Technology, Vol. 11, pages 1279-1286, August 1993

Uttam, Deepak et al., "Precision Time Domain Reflectometry in Optical Fiber Systems Using a Frequency Modulated Continuous Wave Ranging Technique," Journal of Lightwave Technology, Vol. 3, pages 971-977, October 1985

Von Der Weid, J. P. et al., "On the Characterization of Optical Fiber Network Components with Optical Frequency Domain Reflectometry," Journal of Lightwave Technology, Vol. 15, pages 1131-1141, July 1997

Wysocki, P.F. et al., "Broad-Spectrum, Wavelength-Swept, Erbium-Doped Fiber Laser at 1.55-Mu-M," Optics Letters, Vol. 15, pages 879-881, August 1990

Youngquist, Robert C. et al., "Optical Coherence-Domain Reflectometry - A New Optical Evaluation Technique," Optics Letters, Vol. 12, pages 158-160, March 1987

Yun, S. H. et al., "Wavelength-Swept Fiber Laser with Frequency Shifted Feedback and Resonantly Swept Intra-Cavity Acoustooptic Tunable Filter," IEEE Journal of Selected Topics in Quantum Electronics, Vol. 3, pages 1087-1096, August 1997

Yun, S. H. et al., "Interrogation of Fiber Grating Sensor Arrays with a Wavelength-Swept Fiber Laser," Optics Letters, Vol. 23, pages 843-845, June 1998

Yung, K. M., "Phase-Domain Processing of Optical Coherence Tomography Images," Journal of Biomedical Optics, Vol. 4, pages 125-136, January 1999

Zhou, Xiao-Qun et al., "Extended-Range FMCW Reflectometry Using an optical Loop with a Frequency Shifter," IEEE Photonics Technology Letters, Vol. 8, pages 248-250, February 1996

Zorabedian, Paul et al., "Tuning Fidelity of Acoustooptically Controlled External Cavity Semiconductor-Lasers," Journal of Lightwave Technology, Vol. 13, pages 62-66, January 1995

Examiner

Sam K

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Victor S. Y. Lin et al., "A Porous Silicon-Based Optical Interferometric Biosensor," <u>Science Magazine</u> , Vol. 278, pages 840-843, October 31, 1997 |
| | | De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," <u>Journal of Biomedical Optics</u> , Vol. 7, No. 3, July 2002, pages 359-371 |
| | | Jiao, Shuliang et al., "Depth-Resolved Two-Dimensional Stokes Vectors of Backscattered Light and Mueller Matrices of Biological Tissue Measured with Optical Coherence Tomography," <u>Applied Optics</u> , Vol. 39, No. 34, December 1, 2000, pages 6318-6324 |
| | | Park, B. Hyle et al., "In Vivo Burn Depth Determination by High-Speed Fiber-Based Polarization Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 6 No. 4, October 2001, pages 474-479 |
| | | Roth, Jonathan E. et al., "Simplified Method for Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 26, No. 14, July 15, 2001, pages 1069-1071 |
| | | Hitzenberger, Christopher K. et al., "Measurement and Imaging of Birefringence and Optic Axis Orientation by Phase Resolved Polarization Sensitive Optical Coherence Tomography," <u>Optics Express</u> , Vol. 9, No. 13, December 17, 2001, pages 780-790 |
| | | Wang, Xueding et al., "Propagation of Polarized Light in Birefringent Turbid Media: Time-Resolved Simulations," Optical Imaging Laboratory, Biomedical Engineering Program, Texas A&M University |
| | | Wong, Brian J.F. et al., "Optical Coherence Tomography of the Rat Cochlea," <u>Journal of Biomedical Optics</u> , Vol. 5, No. 4, October 2000, pages 367-370 |
| | | Yao, Gang et al., "Propagation of Polarized Light in Turbid Media: Simulated Animation Sequences," <u>Optics Express</u> , Vol. 7, No. 5, August 28, 2000, pages 198-203 |
| | | Wang, Xiao-Jun et al., "Characterization of Dentin and Enamel by Use of Optical Coherence Tomography," <u>Applied Optics</u> , Vol. 38, No. 10, April 1, 1999, pages 2092-2096 |
| | | De Boer, Johannes F. et al., "Determination of the Depth-Resolved Stokes Parameters of Light Backscattered from Turbid Media by use of Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 24, No. 5, March 1, 1999, pages 300-302 |
| | | Ducros, Mathieu G. et al., "Polarization Sensitive Optical Coherence Tomography of the Rabbit Eye," <u>IEEE Journal of Selected Topics in Quantum Electronics</u> , Vol. 5, No. 4, July/August 1999, pages 1159-1167 |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| JK | | Groner, Warren et al., "Orthogonal Polarization Spectral Imaging: A New Method for Study of the Microcirculation," <u>Nature Medicine Inc.</u> , Vol. 5 No. 10, October 1999, pages 1209-1213 |
| | | De Boer, Johannes F. et al., "Polarization Effects in Optical Coherence Tomography of Various Viological Tissues," <u>IEEE Journal of Selected Topics in Quantum Electronics</u> , Vol. 5, No. 4, July/August 1999, pages 1200-1204 |
| | | Yao, Gang et al., "Two-Dimensional Depth-Resolved Mueller Matrix Characterization of Biological Tissue by Optical Coherence Tomography," <u>Optics Letters</u> , April 15, 1999, Vol. 24, No. 8, pages 537-539 |
| | | Lu, Shih-Yau et al., "Homogeneous and Inhomogeneous Jones Matrices," <u>J. Opt. Soc. Am. A.</u> , Vol. 11, No. 2, February 1994, pages 766-773 |
| | | Bickel, S. William et al., "Stokes Vectors, Mueller Matrices, and Polarized Scattered Light," <u>Am. J. Phys.</u> , Vol. 53, No. 5, May 1985 pages 468-478 |
| | | Br  honnet, F. Le Roy et al., "Optical Media and Target Characterization by Mueller Matrix Decomposition," <u>J. Phys. D: Appl. Phys.</u> 29, 1996, pages 34-38 |
| | | Cameron, Brent D. et al., "Measurement and Calculation of the Two-Dimensional Backscattering Mueller Matrix of a Turbid Medium," <u>Optics Letters</u> , Vol. 23, No. 7, April 1, 1998, pages 485-487 |
| | | De Boer, Johannes F. et al., "Two-Dimensional Birefringence Imaging in Biological Tissue by Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 22, No. 12, June 15, 1997, pages 934-936 |
| | | De Boer, Johannes F. et al., "Imaging Thermally Damaged Tissue by Polarization Sensitive Optical Coherence Tomography," <u>Optics Express</u> , Vol. 3, No. 6, September 14, 1998, pages 212-218 |
| | | Everett, M.J. et al., "Birefringence Characterization of Biological Tissue by Use of Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 23, No. 3, February 1, 1998, pages 228-230 |
| | | Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," <u>J. Opt. Soc. Am. B.</u> , Vol. 9, No. 6, June 1992, pages 903-908 |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
| | | Barakat, Richard, "Statistics of the Stokes Parameters," <u>J. Opt. Soc. Am. B.</u> , Vol. 4, No. 7, July 1987, pages 1256-1263 |
| | | Schmitt, J.M. et al., "Cross-Polarized Backscatter in Optical Coherence Tomography of Biological Tissue," <u>Optics Letters</u> , Vol. 23, No. 13, July 1, 1998, pages 1060-1062 |
| | | Schoenenberger, Klaus et al., "Mapping of Birefringence and Thermal Damage in Tissue by use of Polarization-Sensitive Optical Coherence Tomography," <u>Applied Optics</u> , Vol. 37, No. 25, September 1, 1998, pages 6026-6036 |
| | | Pierce, Mark C. et al., "Simultaneous Intensity, Birefringence, and Flow Measurements with High-Speed Fiber-Based Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 27, No. 17, September 1, 2002, pages 1534-1536 |
| | | De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," <u>Journal of Biomedical Optics</u> , July 2002, Vol. 7, No. 3, pages 359-371 |
| | | Fried, Daniel et al., "Imaging Caries Lesions and Lesion Progression with Polarization Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 7, No. 4, October 2002, pages 618-627 |
| | | Jiao, Shuliang et al., "Two-Dimensional Depth-Resolved Mueller Matrix of Biological Tissue Measured with Double-Beam Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 27, No. 2, January 15, 2002, pages 101-103 |
| | | Jiao, Shuliang et al., "Jones-Matrix Imaging of Biological Tissues with Quadruple-Channel Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 7, No. 3, July 2002, pages 350-358 |
| | | Kuranov, R.V. et al., "Complementary Use of Cross-Polarization and Standard OCT for Differential Diagnosis of Pathological Tissues," <u>Optics Express</u> , Vol. 10, No. 15, July 29, 2002, pages 707-713 |
| | | Cense, Barry et al., "In Vivo Depth-Resolved Birefringence Measurements of the Human Retinal Nerve Fiber Layer by Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 27, No. 18, September 15, 2002, pages 1610-1612 |
| | | Ren, Hongwu et al., "Phase-Resolved Functional Optical Coherence Tomography: Simultaneous Imaging of In Situ Tissue Structure, Blood Flow Velocity, Standard Deviation, Birefringence, and Stokes Vectors in Human Skin," <u>Optics Letters</u> , Vol. 27, No. 19, October 1, 2002, pages 1702-1704 |

Examiner

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | | |
|--|--|--|--|
| | | | Tripathi, Renu et al., "Spectral Shaping for Non-Gaussian Source Spectra in Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 27, No. 6, March 15, 2002, pages 406-408 |
| | | | Yasuno, Y. et al., "Birefringence Imaging of Human Skin by Polarization-Sensitive Spectral Interferometric Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 27, No. 20, October 15, 2002 pages 1803-1805 |
| | | | White, Brian R. et al., "In Vivo Dynamic Human Retinal Blood Flow Imaging Using Ultra-High-Speed Spectral Domain Optical Doppler Tomography," <u>Optics Express</u> , Vol. 11, No. 25, December 15, 2003, pages 3490-3497 |
| | | | De Boer, Johannes F. et al., "Improved Signal-to-Noise Ratio in Spectral-Domain Compared with Time-Domain Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 28, No. 21, November 1, 2003, pages 2067-2069 |
| | | | Jiao, Shuliang et al., "Optical-Fiber-Based Mueller Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 28, No. 14, July 15, 2003, pages 1206-1208 |
| | | | Jiao, Shuliang et al., "Contrast Mechanisms in Polarization-Sensitive Mueller-Matrix Optical Coherence Tomography and Application in Burn Imaging," <u>Applied Optics</u> , Vol. 42, No. 25, September 1, 2003, pages 5191-5197 |
| | | | Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. I. Theory," <u>Applied Optics</u> , Vol. 42, No. 19, July 1, 2003, pages 3800-3810 |
| | | | Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. II. Instrument and Results," <u>Applied Optics</u> , Vol. 42, No. 19, July 1, 2003, pages 3811-3818 |
| | | | Morgan, Stephen P. et al., "Surface-Reflection Elimination in Polarization Imaging of Superficial Tissue," <u>Optics Letters</u> , Vol. 28, No. 2, January 15, 2003, pages 114-116 |
| | | | Oh, Jung-Taek et al., "Polarization-Sensitive Optical Coherence Tomography for Photoelasticity Testing of Glass/Epoxy Composites," <u>Optics Express</u> , Vol. 11, No. 14, July 14, 2003, pages 1669-1676 |
| | | | Park, B. Hyle et al., "Real-Time Multi-Functional Optical Coherence Tomography," <u>Optics Express</u> , Vol. 11, No. 7, April 7, 2003, pages 782-793 |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245


Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|--|
|  | | Shribak, Michael et al., "Techniques for Fast and Sensitive Measurements of Two-Dimensional Birefringence Distributions," <u>Applied Optics</u> , Vol. 42, No. 16, June 1, 2003, pages 3009-3017 |
| | | Somervell, A.R.D. et al., "Direct Measurement of Fringe Amplitude and Phase Using a Heterodyne Interferometer Operating in Broadband Light," <u>Elsevier, Optics Communications</u> , October 2003 |
| | | Stifter, D. et al., "Polarisation-Sensitive Optical Coherence Tomography for Material Characterisation and Strain-Field Mapping," <u>Applied Physics A 76, Materials Science & Processing</u> , January 2003, pages 947-951 |
| | | Davé, Digant P. et al., "Polarization-Maintaining Fiber-Based Optical Low-Coherence Reflectometer for Characterization and Ranging of Birefringence," <u>Optics Letters</u> , Vol. 28, No. 19, October 1, 2003, pages 1775-1777 |
| | | Yang, Ying et al., "Observations of Birefringence in Tissues from Optic-Fibre-Based Optical Coherence Tomography," <u>Measurement Science and Technology</u> , November 2002, pages 41-46 |
| | | Yun, S.H. et al., "High-Speed Optical Frequency-Domain Imaging," <u>Optics Express</u> , Vol. 11, No. 22, November 3, 2003, pages 2953-2963 |
| | | Yun, S.H. et al., "High-Speed Spectral-Domain Optical Coherence Tomography at 1.3 μm Wavelength," <u>Optics Express</u> , Vol. 11, No. 26, December 29, 2003, pages 3598-3604 |
| | | Zhang, Jun et al., "Determination of Birefringence and Absolute Optic Axis Orientation Using Polarization-Sensitive Optical Coherence Tomography with PM Fibers," <u>Optics Express</u> , Vol. 11, No. 24, December 1, 2003, pages 3262-3270 |
| | | Pircher, Michael et al., "Three Dimensional Polarization Sensitive OCT of Human Skin In Vivo," 2004, <u>Optical Society of America</u> |
| | | Götzinger, Erich et al., "Measurement and Imaging of Birefringent Properties of the Human Cornea with Phase-Resolved, Polarization-Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 9, No. 1, January/February 2004, pages 94-102 |
| | | Guo, Shuguang et al., "Depth-Resolved Birefringence and Differential Optical Axis Orientation Measurements with Fiber-based Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 17, September 1, 2004, pages 2025-2027 |

Examiner



Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
| | | Huang, Xiang-Run et al., "Variation of Peripapillary Retinal Nerve Fiber Layer Birefringence in Normal Human Subjects," <u>Investigative Ophthalmology & Visual Science</u> , Vol. 45, No. 9, September 2004, pages 3073-3080 |
| | | Matcher, Stephen J. et al., "The Collagen Structure of Bovine Intervertebral Disc Studied Using Polarization-Sensitive Optical Coherence Tomography," <u>Physics in Medicine and Biology</u> , 2004, pages 1295-1306 |
| | | Nassif, Nader et al., "In Vivo Human Retinal Imaging by Ultrahigh-Speed Spectral Domain Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 5, March 1, 2004, pages 480-482 |
| | | Nassif, N.A. et al., "In Vivo High-Resolution Video-Rate Spectral-Domain Optical Coherence Tomography of the Human Retina and Optic Nerve," <u>Optics Express</u> , Vol. 12, No. 3, February 9, 2004, pages 367-376 |
| | | Park, B. Hyle et al., "Comment on "Optical-Fiber-Based Mueller Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 24, December 15, 2004, pages 2873-2874 |
| | | Park, B. Hyle et al., "Jones Matrix Analysis for a Polarization-Sensitive Optical Coherence Tomography System Using Fiber-Optic Components," <u>Optics Letters</u> , Vol. 29, No. 21, November 1, 2004, pages 2512-2514 |
| | | Pierce, Mark C. et al., "Collagen Denaturation can be Quantified in Burned Human Skin Using Polarization-Sensitive Optical Coherence Tomography," <u>Elsevier, Burns</u> , 2004, pages 511-517 |
| | | Pierce, Mark C. et al., "Advances in Optical Coherence Tomography Imaging for Dermatology," <u>The Society for Investigative Dermatology, Inc.</u> 2004, pages 458-463 |
| | | Pierce, Mark C. et al., "Birefringence Measurements in Human Skin Using Polarization-Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 9, No. 2, March/April 2004, pages 287-291 |
| | | Cense, Barry et al., "In Vivo Birefringence and Thickness Measurements of the Human Retinal Nerve Fiber Layer Using Polarization-Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 9, No. 1, January/February 2004, pages 121-125 |
| | | Pircher, Michael et al., "Imaging Of Polarization Properties of Human Retina in Vivo with Phase Resolved Transversal PS-OCT," <u>Optics Express</u> , Vol. 12, No. 24, November 29, 2004 pages 5940-5951 |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Pircher, Michael et al., "Transversal Phase Resolved Polarization Sensitive Optical Coherence Tomography," <u>Physics in Medicine & Biology</u> , 2004, pages 1257-1263 |
| | | Srinivas, Shyam M. et al., "Determination of Burn Depth by Polarization-Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 9, No. 1, January/February 2004, pages 207-212 |
| | | Strasswimmer, John et al., "Polarization-Sensitive Optical Coherence Tomography of Invasive Basal Cell Carcinoma," <u>Journal of Biomedical Optics</u> , Vol. 9, No. 2, March/April 2004, pages 292-298 |
| | | Todorovič, Miloš et al., "Determination of Local Polarization Properties of Biological Samples in the Presence of Diattenuation by use of Mueller Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 20, October 15, 2004, pages 2402-2404 |
| | | Yasuno, Yoshiaki et al., "Polarization-Sensitive Complex Fourier Domain Optical Coherence Tomography for Jones Matrix Imaging of Biological Samples," <u>Applied Physics Letters</u> , Vol. 85, No. 15, October 11, 2004, pages 3023-3025 |

Examiner

Sam KH

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Acioli, L. H., M. Ulman, et al. (1991). "Femtosecond Temporal Encoding in Barium-Titanate." <u>Optics Letters</u> 16(24): 1984-1986 |
| | | Aigouy, L., A. Lahrech, et al. (1999). "Polarization effects in apertureless scanning near-field optical microscopy: an experimental study." <u>Optics Letters</u> 24(4): 187-189. |
| | | Akiba, M., K. P. Chan, et al. (2003). "Full-field optical coherence tomography by two-dimensional heterodyne detection with a pair of CCD cameras." <u>Optics Letters</u> 28(10): 816-818. |
| | | Akkin, T., D. P. Dave, et al. (2004). "Detection of neural activity using phase-sensitive optical low-coherence reflectometry." <u>Optics Express</u> 12(11): 2377-2386. |
| | | Akkin, T., D. P. Dave, et al. (2003). "Surface analysis using phase sensitive optical low coherence reflectometry." <u>Lasers in Surgery and Medicine</u> : 4-4. |
| | | Akkin, T., D. P. Dave, et al. (2003). "Imaging tissue response to electrical and photothermal stimulation with nanometer sensitivity." <u>Lasers in Surgery and Medicine</u> 33(4): 219-225. |
| | | Akkin, T., T. E. Milner, et al. (2002). "Phase-sensitive measurement of birefringence change as an indication of neural functionality and diseases." <u>Lasers in Surgery and Medicine</u> : 6-6. |
| | | Andretzky, P., Lindner, M.W., Herrmann, J.M., Schultz, A., Konzog, M., Kiesewetter, F., Haeusler, G. (1999). "Optical coherence tomography by 'spectral radar': Dynamic range estimation and in vivo measurements of skin." <u>Proceedings of SPIE - The International Society for Optical Engineering</u> 3567: Pages 78-87. |
| | | Antcliff, R. J., T. J. ffytche, et al. (2000). "Optical coherence tomography of melanocytoma." <u>American Journal of Ophthalmology</u> 130(6): 845-7. |
| | | Antcliff, R. J., M. R. Stanford, et al. (2000). "Comparison between optical coherence tomography and fundus fluorescein angiography for the detection of cystoid macular edema in patients with uveitis." <u>Ophthalmology</u> 107(3): 593-9. |
| | | Anvari, B., T. E. Milner, et al. (1995). "Selective Cooling of Biological Tissues - Application for Thermally Mediated Therapeutic Procedures." <u>Physics in Medicine and Biology</u> 40(2): 241-252. |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | |
|--|---|
| | Anvari, B., B. S. Tanenbaum, et al. (1995). "A Theoretical-Study of the Thermal Response of Skin to Cryogen Spray Cooling and Pulsed-Laser Irradiation - Implications for Treatment of Port-Wine Stain Birthmarks." <u>Physics in Medicine and Biology</u> 40(9): 1451-1465 |
| | Arend, O., M. Ruffer, et al. (2000). "Macular circulation in patients with diabetes mellitus with and without arterial hypertension." <u>British Journal of Ophthalmology</u> 84(12): 1392-1396 |
| | Arimoto, H. and Y. Ohtsuka (1997). "Measurements of the complex degree of spectral coherence by use of a wave-front-folded interferometer." <u>Optics Letters</u> 22(13): 958-960 |
| | Azzolini, C., F. Patelli, et al. (2001). "Correlation between optical coherence tomography data and biomicroscopic interpretation of idiopathic macular hole." <u>American Journal of Ophthalmology</u> 132(3): 348-55 |
| | Baba, T., K. Ohno-Matsui, et al. (2002). "Optical coherence tomography of choroidal neovascularization in high myopia." <u>Acta Ophthalmologica Scandinavica</u> 80(1): 82-7. |
| | Bail, M. A. H., Gerd; Herrmann, Juergen M.; Lindner, Michael W.; Ringler, R. (1996). "Optical coherence tomography with the "spectral radar": fast optical analysis in volume scatterers by short-coherence interferometry." <u>Proc. SPIE</u> , 2925: p. 298-303. |
| | Baney, D. M. and W. V. Sorin (1993). "Extended-Range Optical Low-Coherence Reflectometry Using a Recirculating Delay Technique." <u>Ieee Photonics Technology Letters</u> 5(9): 1109-1112. |
| | Baney, D. M., B. Szafraniec, et al. (2002). "Coherent optical spectrum analyzer." <u>Ieee Photonics Technology Letters</u> 14(3): 355-357. |
| | Barakat, R. (1981). "Bilinear Constraints between Elements of the 4by4 Mueller-Jones Transfer-Matrix of Polarization Theory." <u>Optics Communications</u> 38(3): 159-161. |
| | Barakat, R. (1993). "Analytic Proofs of the Arago-Fresnel Laws for the Interference of Polarized-Light." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 10(1): 180-185. |
| | Barbastathis, G. and D. J. Brady (1999). "Multidimensional tomographic imaging using volume holography." <u>Proceedings of the Ieee</u> 87(12): 2098-2120 |
| | Bardal, S., A. Kamal, et al. (1992). "Photoinduced Birefringence in Optical Fibers - a Comparative-Study of Low-Birefringence and High-Birefringence Fibers." <u>Optics Letters</u> 17(6): 411-413. |

Examiner

Date Considered

11/10/00

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | | |
|----|--|--|---|
| 57 | | | Barsky, S. H., S. Rosen, et al. (1980). "Nature and Evolution of Port Wine Stains - Computer-Assisted Study." <u>Journal of Investigative Dermatology</u> 74(3): 154-157. |
| | | | Barton, J. K., J. A. Izatt, et al. (1999). "Three-dimensional reconstruction of blood vessels from in vivo color Doppler optical coherence tomography images." <u>Dermatology</u> 198(4): 355-361. |
| | | | Barton, J. K., A. Rollins, et al. (2001). "Photothermal coagulation of blood vessels: a comparison of high-speed optical coherence tomography and numerical modelling." <u>Physics in Medicine and Biology</u> 46. |
| | | | Barton, J. K., A. J. Welch, et al. (1998). "Investigating pulsed dye laser-blood vessel interaction with color Doppler optical coherence tomography." <u>Optics Express</u> 3. |
| | | | Bashkansky, M., M. D. Duncan, et al. (1997). "Subsurface defect detection in ceramics by high-speed high-resolution optical coherent tomography." <u>Optics Letters</u> 22 (1): 61-63. |
| | | | Bashkansky, M. and J. Reintjes (2000). "Statistics and reduction of speckle in optical coherence tomography." <u>Optics Letters</u> 25(8): 545-547. |
| | | | Baumgartner, A., S. Dichtl, et al. (2000). "Polarization-sensitive optical coherence tomography of dental structures." <u>Caries Research</u> 34(1): 59-69. |
| | | | Baumgartner, A., C. K. Hitzenberger, et al. (2000). "Resolution-improved dual-beam and standard optical coherence tomography: a comparison." <u>Graefes Archive for Clinical and Experimental Ophthalmology</u> 238(5): 385-392. |
| | | | Baumgartner, A., C. K. Hitzenberger, et al. (1998). "Signal and resolution enhancements in dual beam optical coherence tomography of the human eye." <u>Journal of Biomedical Optics</u> 3(1): 45-54. |
| | | | Beaurepaire, E., P. Gleyzes, et al. (1998). <u>Optical coherence microscopy for the in-depth study of biological structures: System based on a parallel detection scheme</u> , Proceedings of SPIE - The International Society for Optical Engineering. |
| | | | Beaurepaire, E., L. Moreaux, et al. (1999). "Combined scanning optical coherence and two-photon-excited fluorescence microscopy." <u>Optics Letters</u> 24(14): 969-971. |
| | | | Bechara, F. G., T. Gambichler, et al. (2004). "Histomorphologic correlation with routine histology and optical coherence tomography." <u>Skin Research and Technology</u> 10 (3): 169-173. |
| | | | Bechmann, M., M. J. Thiel, et al. (2000). "Central corneal thickness determined with optical coherence tomography in various types of glaucoma. [see comments]." <u>British Journal of Ophthalmology</u> 84(11): 1233-7. |

Examiner

Sam J. H.

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
| | | Bek, T. and M. Kandi (2000). "Quantitative anomaloscopy and optical coherence tomography scanning in central serous chorioretinopathy." <u>Acta Ophthalmologica Scandinavica</u> 78(6): 632-7. |
| | | Benoit, A. M., K. Naoun, et al. (2001). "Linear dichroism of the retinal nerve fiber layer expressed with Mueller matrices." <u>Applied Optics</u> 40(4): 565-569 |
| | | Bicout, D., C. Brosseau, et al. (1994). "Depolarization of Multiply Scattered Waves by Spherical Diffusers - Influence of the Size Parameter." <u>Physical Review E</u> 49(2): 1767-1770. |
| | | Blanchot, L., M. Lebec, et al. (1997). <u>Low-coherence in depth microscopy for biological tissues imaging: Design of a real time control system</u> . Proceedings of SPIE - The International Society for Optical Engineering. |
| | | Blumenthal, E. Z. and R. N. Weinreb (2001). "Assessment of the retinal nerve fiber layer in clinical trials of glaucoma neuroprotection. [Review] [36 refs]." <u>Survey of Ophthalmology</u> 45(Suppl 3): S305-12; discussion S332-4. |
| | | Blumenthal, E. Z., J. M. Williams, et al. (2000). "Reproducibility of nerve fiber layer thickness measurements by use of optical coherence tomography." <u>Ophthalmology</u> 107(12): 2278-82. |
| | | Boppart, S. A., B. E. Bouma, et al. (1996). "Imaging developing neural morphology using optical coherence tomography." <u>Journal of Neuroscience Methods</u> 70. |
| | | Boppart, S. A., B. E. Bouma, et al. (1997). "Forward-imaging instruments for optical coherence tomography." <u>Optics Letters</u> 22. |
| | | Boppart, S. A., B. E. Bouma, et al. (1998). "Intraoperative assessment of microsurgery with three-dimensional optical coherence tomography." <u>Radiology</u> 208: 81-86. |
| | | Boppart, S. A., J. Herrmann, et al. (1999). "High-resolution optical coherence tomography-guided laser ablation of surgical tissue." <u>Journal of Surgical Research</u> 82(2): 275-84. |
| | | Bouma, B. E. and J. G. Fujimoto (1996). "Compact Kerr-lens mode-locked resonators." <u>Optics Letters</u> 21: 134-136 |
| | | Bouma, B. E., L. E. Nelson, et al. (1998). "Optical coherence tomographic imaging of human tissue at 1.55 μ m and 1.81 μ m using Er and Tm-doped fiber sources." <u>Journal of Biomedical Optics</u> 3: 76-79 |
| | | Bouma, B. E., M. Ramaswamy-Paye, et al. (1997). "Compact resonator designs for mode-locked solid-state lasers." <u>Applied Physics B (Lasers and Optics)</u> B65: 213-220 |

Examiner

Date Considered

11/10/00

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
| | | Bouma, B. E. and G. J. Tearney (2002). "Clinical imaging with optical coherence tomography." <u>Academic Radiology</u> 9(8): 942-953. |
| | | Bouma, B. E., G. J. Tearney, et al. (1996). "Self-phase-modulated Kerr-lens mode-locked Cr:forsterite laser source for optical coherence tomography." <u>Optics Letters</u> 21(22): 1839. |
| | | Bouma, B. E., G. J. Tearney, et al. (2000). "High-resolution imaging of the human esophagus and stomach in vivo using optical coherence tomography." <u>Gastrointestinal Endoscopy</u> 51(4): 467-474. |
| | | Bouma, B. E., G. J. Tearney, et al. (2003). "Evaluation of intracoronary stenting by intravascular optical coherence tomography." <u>Heart</u> 89(3): 317-320. |
| | | Bourquin, S., V. Monterosso, et al. (2000). "Video-rate optical low-coherence reflectometry based on a linear smart detector array." <u>Optics Letters</u> 25(2): 102-104. |
| | | Bourquin, S., P. Seitz, et al. (2001). "Optical coherence topography based on a two-dimensional smart detector array." <u>Optics Letters</u> 26(8): 512-514. |
| | | Bouza, A., M. A. G. Abushagur, et al. (1995). "Fiber-optic four-detector polarimeter." <u>Optics Communications</u> 118(3-4): 329-334. |
| | | Bowd, C., R. N. Weinreb, et al. (2000). "The retinal nerve fiber layer thickness in ocular hypertensive, normal, and glaucomatous eyes with optical coherence tomography." <u>Archives of Ophthalmology</u> 118(1): 22-6. |
| | | Bowd, C., L. M. Zangwill, et al. (2001). "Detecting early glaucoma by assessment of retinal nerve fiber layer thickness and visual function." <u>Investigative Ophthalmology & Visual Science</u> 42(9): 1993-2003. |
| | | Bowd, C., L. M. Zangwill, et al. (2002). "Imaging of the optic disc and retinal nerve fiber layer: the effects of age, optic disc area, refractive error, and gender." <u>Journal of the Optical Society of America, A, Optics, Image Science, & Vision</u> 19(1): 197-207. |
| | | Brand, S., J. M. Ponomeros, et al. (2000). "Optical coherence tomography in the gastrointestinal tract." <u>Endoscopy</u> 32(10): 796-803. |
| | | Brezinski, M. E. and J. G. Fujimoto (1999). "Optical coherence tomography: high-resolution imaging in nontransparent tissue." <u>IEEE Journal of Selected Topics in Quantum Electronics</u> 5(4): 1185-1192. |
| | | Brezinski, M. E., G. J. Tearney, et al. (1996). "Imaging of coronary artery microstructure (in vitro) with optical coherence tomography." <u>American Journal of Cardiology</u> 77 (1): 92-93. |

Examiner

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | |
|--|--|
| | Brezinski, M. E., G. J. Tearney, et al. (1996). "Optical coherence tomography for optical biopsy - Properties and demonstration of vascular pathology." <u>Circulation</u> 93(6): 1206-1213. |
| | Brezinski, M. E., G. J. Tearney, et al. (1997). "Assessing atherosclerotic plaque morphology: Comparison of optical coherence tomography and high frequency intravascular ultrasound." <u>Heart</u> 77(5): 397-403. |
| | Brink, H. B. K. and G. J. Vanblokkland (1988). "Birefringence of the Human Foveal Area Assessed In vivo with Mueller-Matrix Ellipsometry." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 5(1): 49-57. |
| | Brosseau, C. and D. Bicout (1994). "Entropy Production in Multiple-Scattering of Light by a Spatially Random Medium." <u>Physical Review E</u> 50(6): 4997-5005. |
| | Burgoyne, C. F., D. E. Mercante, et al. (2002). "Change detection in regional and volumetric disc parameters using longitudinal confocal scanning laser tomography." <u>Ophthalmology</u> 109(3): 455-66. |
| | Candido, R. and T. J. Allen (2002). "Haemodynamics in microvascular complications in type 1 diabetes." <u>Diabetes-Metabolism Research and Reviews</u> 18(4): 286-304. |
| | Cense, B., T. C. Chen, et al. (2004). "Thickness and birefringence of healthy retinal nerve fiber layer tissue measured with polarization-sensitive optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 45(8): 2606-2612. |
| | Cense, B., N. Nassif, et al. (2004). "Ultrahigh-Resolution High-Speed Retinal Imaging Using Spectral-Domain Optical Coherence Tomography." <u>Optics Express</u> 12(11): 2435-2447. |
| | Chance, B., J. S. Leigh, et al. (1988). "Comparison of Time-Resolved and Time-Unresolved Measurements of Deoxyhemoglobin in Brain." <u>Proceedings of the National Academy of Sciences of the United States of America</u> 85(14): 4971-4975. |
| | Chang, E. P., D. A. Keedy, et al. (1974). "Ultrastructures of Rabbit Corneal Stroma - Mapping of Optical and Morphological Anisotropies." <u>Biochimica Et Biophysica Acta</u> 343(3): 615-626. |
| | Chartier, T., A. Hideur, et al. (2001). "Measurement of the elliptical birefringence of single-mode optical fibers." <u>Applied Optics</u> 40(30): 5343-5353. |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Chauhan, B. C., J. W. Blanchard, et al. (2000). "Technique for Detecting Serial Topographic Changes in the Optic Disc and Peripapillary Retina Using Scanning Laser Tomograph." <u>Invest Ophthalmol Vis Sci</u> 41: 775-782. |
| | | Chen, Z. P., T. E. Milner, et al. (1997). "Optical Doppler tomographic imaging of fluid flow velocity in highly scattering media." <u>Optics Letters</u> 22(1): 64-66. |
| | | Chen, Z. P., T. E. Milner, et al. (1997). "Noninvasive imaging of in vivo blood flow velocity using optical Doppler tomography." <u>Optics Letters</u> 22(14): 1119-1121. |
| | | Chen, Z. P., Y. H. Zhao, et al. (1999). "Optical Doppler tomography." <u>Ieee Journal of Selected Topics in Quantum Electronics</u> 5(4): 1134-1142. |
| | | Cheong, W. F., S. A. Prahl, et al. (1990). "A Review of the Optical-Properties of Biological Tissues." <u>Ieee Journal of Quantum Electronics</u> 26(12): 2166-2185. |
| | | Chernikov, S. V., Y. Zhu, et al. (1997). "Supercontinuum self-Q-switched ytterbium fiber laser." <u>Optics Letters</u> 22(5): 298-300. |
| | | Cho, S. H., B. E. Bouma, et al. (1999). "Low-repetition-rate high-peak-power Kerr-lens mode-locked Ti:Al/sub 2/0/sub 3/ laser with a multiple-pass cavity." <u>Optics Letters</u> 24(6): 417-419. |
| | | Choma, M. A., M. V. Sarunic, et al. (2003). "Sensitivity advantage of swept source and Fourier domain optical coherence tomography." <u>Optics Express</u> 11(18): 2183-2189. |
| | | Choma, M. A., C. H. Yang, et al. (2003). "Instantaneous quadrature low-coherence interferometry with 3 x 3 fiber-optic couplers." <u>Optics Letters</u> 28(22): 2162-2164. |
| | | Choplin, N. T. and D. C. Lundy (2001). "The sensitivity and specificity of scanning laser polarimetry in the detection of glaucoma in a clinical setting." <u>Ophthalmology</u> 108 (5): 899-904. |
| | | Christens Barry, W. A., W. J. Green, et al. (1996). "Spatial mapping of polarized light transmission in the central rabbit cornea." <u>Experimental Eye Research</u> 62(6): 651-662. |
| | | Chvapil, M., D. P. Speer, et al. (1984). "Identification of the depth of burn injury by collagen stainability." <u>Plastic & Reconstructive Surgery</u> 73(3): 438-41. |
| | | Cioffi, G. A. (2001). "Three common assumptions about ocular blood flow and glaucoma." <u>Survey of Ophthalmology</u> 45: S325-S331. |
| | | Coleman, A. L. (1999). "Glaucoma." <u>Lancet</u> 354(9192): 1803-10. |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| SK | | Collaborative Normal-Tension Glaucoma Study Group (1998). "Comparison of Glaucomatous Progression Between Untreated Patients With Normal Tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures." <u>Am J Ophthalmol</u> 126: 487-97. |
| | | Collaborative Normal-Tension Glaucoma Study Group (1998). "The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma." <u>Am J Ophthalmol</u> 126: 498-505. |
| | | Collaborative Normal-Tension Glaucoma Study Group (2001). "Natural History of Normal-Tension Glaucoma." <u>Ophthalmology</u> 108: 247-253. |
| | | Colston, B. W., M. J. Everett, et al. (1998). "Imaging of hard- and soft-tissue structure in the oral cavity by optical coherence tomography." <u>Applied Optics</u> 37(16): 3582-3585. |
| | | Colston, B. W., U. S. Sathyam, et al. (1998). "Dental OCT." <u>Optics Express</u> 3(6): 230-238. |
| | | Congdon, N. G., D. S. Friedman, et al. (2003). "Important causes of visual impairment in the world today." <u>Jama-Journal of the American Medical Association</u> 290(15): 2057-2060. |
| | | Cregan, R. F., B. J. Mangan, et al. (1999). "Single-mode photonic band gap guidance of light in air." <u>Science</u> 285(5433): 1537-1539. |
| | | DalMolin, M., A. Galtarossa, et al. (1997). "Experimental investigation of linear polarization in high-birefringence single-mode fibers." <u>Applied Optics</u> 36(12): 2526-2528. |
| | | Danielson, B. L. and C. D. Whittenberg (1987). "Guided-Wave Reflectometry with Micrometer Resolution." <u>Applied Optics</u> 26(14): 2836-2842. |
| | | Dave, D. P. and T. E. Milner (2000). "Doppler-angle measurement in highly scattering media." <u>Optics Letters</u> 25(20): 1523-1525. |
| | | de Boer, J. F., T. E. Milner, et al. (1998). Two dimensional birefringence imaging in biological tissue using phase and polarization sensitive optical coherence tomography. Trends in Optics and Photonics (TOPS): Advances in Optical Imaging and Photon Migration, Orlando, USA, Optical Society of America, Washington, DC 1998. |
| | | de Boer, J. F., C. E. Saxer, et al. (2001). "Stable carrier generation and phase-resolved digital data processing in optical coherence tomography." <u>Applied Optics</u> 40(31): 5787-5790. |
| | | Degroot, P. and L. Deck (1993). "3-Dimensional Imaging by Sub-Nyquist Sampling of White-Light Interferograms." <u>Optics Letters</u> 18(17): 1462-1464. |

Examiner

Smr LA

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| OK | | Denk, W., J. H. Strickler, et al. (1990). "2-Photon Laser Scanning Fluorescence Microscopy." <u>Science</u> 248(4951): 73-76. |
| | | Descour, M. R., A. H. O. Karkkainen, et al. (2002). "Toward the development of miniaturized Imaging systems for detection of pre-cancer." <u>Ieee Journal of Quantum Electronics</u> 38(2): 122-130. |
| | | Dettwiller, L. (1997). "Polarization state interference: A general investigation." <u>Pure and Applied Optics</u> 6(1): 41-53. |
| | | DiCarlo, C. D., W. P. Roach, et al. (1999). "Comparison of optical coherence tomography imaging of cataracts with histopathology." <u>Journal of Biomedical Optics</u> 4. |
| | | Ding, Z., Y. Zhao, et al. (2002). "Real-time phase-resolved optical coherence tomography and optical Doppler tomography." <u>Optics Express</u> 10(5): 236-245. |
| | | Dobrin, P. B. (1996). "Effect of histologic preparation on the cross-sectional area of arterial rings." <u>Journal of Surgical Research</u> 61(2): 413-5. |
| | | Donohue, D. J., B. J. Stoyanov, et al. (1995). "Numerical Modeling of the Corneas Lamellar Structure and Birefringence Properties." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 12(7): 1425-1438. |
| | | Doorbos, R. M. P., R. Lang, et al. (1999). "The determination of in vivo human tissue optical properties and absolute chromophore concentrations using spatially resolved steady-state diffuse reflectance spectroscopy." <u>Physics in Medicine and Biology</u> 44(4): 967-981. |
| | | Drexler, W., A. Baumgartner, et al. (1997). "Biometric investigation of changes in the anterior eye segment during accommodation." <u>Vision Research</u> 37(19): 2789-2800. |
| | | Drexler, W., A. Baumgartner, et al. (1997). "Submicrometer precision biometry of the anterior segment of the human eye." <u>Investigative Ophthalmology & Visual Science</u> 38(7): 1304-1313. |
| | | Drexler, W., A. Baumgartner, et al. (1998). "Dual beam optical coherence tomography: signal identification for ophthalmologic diagnosis." <u>Journal of Biomedical Optics</u> 3 (1): 55-65. |
| | | Drexler, W., O. Findl, et al. (1998). "Partial coherence interferometry: A novel approach to biometry in cataract surgery." <u>American Journal of Ophthalmology</u> 126(4): 524-534. |

Examiner

Am KL

Date Considered

11/14/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| DK | | Drexler, W., O. Findl, et al. (1997). "Clinical feasibility of dual beam optical coherence topography and tomography for ophthalmologic diagnosis." <u>Investigative Ophthalmology & Visual Science</u> 38(4): 1038-1038. |
| | | Drexler, W., C. K. Hitzenberger, et al. (1998). "Investigation of dispersion effects in ocular media by multiple wavelength partial coherence interferometry." <u>Experimental Eye Research</u> 66(1): 25-33. |
| | | Drexler, W., C. K. Hitzenberger, et al. (1996). "(Sub)micrometer precision biometry of the human eye by optical coherence tomography and topography." <u>Investigative Ophthalmology & Visual Science</u> 37(3): 4374-4374. |
| | | Drexler, W., C. K. Hitzenberger, et al. (1995). "Measurement of the Thickness of Fundus Layers by Partial Coherence Tomography." <u>Optical Engineering</u> 34(3): 701-710. |
| | | Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography." <u>Nature Medicine</u> 7(4): 502-507. |
| | | Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography. [erratum appears in Nat Med 2001 May;7(5):636.]" <u>Nature Medicine</u> 7(4): 502-7. |
| | | Drexler, W., H. Sattmann, et al. (2003). "Enhanced visualization of macular pathology with the use of ultrahigh-resolution optical coherence tomography." <u>Archives of Ophthalmology</u> 121(5): 695-706. |
| | | Drexler, W., D. Stamper, et al. (2001). "Correlation of collagen organization with polarization sensitive imaging of in vitro cartilage: implications for osteoarthritis." <u>Journal of Rheumatology</u> 28(6): 1311-8. |
| | | Droog, E. J., W. Steenbergen, et al. (2001). "Measurement of depth of burns by laser Doppler perfusion imaging." <u>Burns</u> 27(6): 561-8. |
| | | Dubois, A., K. Grieve, et al. (2004). "Ultrahigh-resolution full-field optical coherence tomography." <u>Applied Optics</u> 43(14): 2874-2883. |
| | | Dubois, A., L. Vabre, et al. (2002). "High-resolution full-field optical coherence tomography with a Linnik microscope." <u>Applied Optics</u> 41(4): 805-812. |
| | | Ducros, M., M. Laubscher, et al. (2002). "Parallel optical coherence tomography in scattering samples using a two-dimensional smart-pixel detector array." <u>Optics Communications</u> 202(1-3): 29-35. |

Examiner

James L

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| DK | | Ducros, M. G., J. D. Marsack, et al. (2001). "Primate retina imaging with polarization-sensitive optical coherence tomography." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 18(12): 2945-2956. |
| | | Duncan, A., J. H. Meek, et al. (1995). "Optical Pathlength Measurements on Adult Head, Calf and Forearm and the Head of the Newborn-Infant Using Phase-Resolved Optical Spectroscopy." <u>Physics in Medicine and Biology</u> 40(2): 295-304. |
| | | Eigensee, A., G. Haeusler, et al. (1996). "New method of short-coherence interferometry in human skin (in vivo) and in solid volume scatterers." <u>Proceedings of SPIE - The International Society for Optical Engineering</u> 2925: 169-178. |
| | | Eisenbeiss, W., J. Marotz, et al. (1999). "Reflection-optical multispectral imaging method for objective determination of burn depth." <u>Burns</u> 25(8): 697-704. |
| | | Elbaum, M., M. King, et al. (1972). "Wavelength-Diversity Technique for Reduction of Speckle Size." <u>Journal of the Optical Society of America</u> 62(5): 732-&. |
| | | Ervin, J. C., H. G. Lemij, et al. (2002). "Clinician change detection viewing longitudinal stereophotographs compared to confocal scanning laser tomography in the LSU Experimental Glaucoma (LEG) Study." <u>Ophthalmology</u> 109(3): 467-81. |
| | | Essenpreis, M., C. E. Elwell, et al. (1993). "Spectral Dependence of Temporal Point Spread Functions in Human Tissues." <u>Applied Optics</u> 32(4): 418-425. |
| | | Eun, H. C. (1995). "Evaluation of skin blood flow by laser Doppler flowmetry. [Review] [151 refs]." <u>Clinics in Dermatology</u> 13(4): 337-47. |
| | | Evans, J. A., J. M. Poneros, et al. (2004). "Application of a histopathologic scoring system to optical coherence tomography (OCT) images to identify high-grade dysplasia in Barrett's esophagus." <u>Gastroenterology</u> 126(4): A51-A51. |
| | | Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "In vivo OCT imaging of hard and soft tissue of the oral cavity." <u>Optics Express</u> 3(6): 239-250. |
| | | Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "Endoscopic applications of optical coherence tomography." <u>Optics Express</u> 3(6): 257-270. |

Examiner

Tearney

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Fercher, A. F., W. Drexler, et al. (1997). "Optical ocular tomography." <u>Neuro- Ophthalmology</u> 18(2): 39-49. |
| | | Fercher, A. F., W. Drexler, et al. (1994). <u>Measurement of optical distances by optical spectrum modulation</u> . Proceedings of SPIE - The International Society for Optical Engineering. |
| | | Fercher, A. F., W. Drexler, et al. (2003). "Optical coherence tomography - principles and applications." <u>Reports on Progress in Physics</u> 66(2): 239-303. |
| | | Fercher, A. F., C. Hitzenberger, et al. (1991). "Measurement of Intraocular Optical Distances Using Partially Coherent Laser-Light." <u>Journal of Modern Optics</u> 38(7): 1327-1333. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (1996). <u>Ocular partial coherence interferometry</u> . Proceedings of SPIE - The International Society for Optical Engineering. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (1993). "In-Vivo Optical Coherence Tomography." <u>American Journal of Ophthalmology</u> 116(1): 113-115. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (1994). <u>In-vivo dual-beam optical coherence tomography</u> . Proceedings of SPIE - The International Society for Optical Engineering. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (1995). "Measurement of Intraocular Distances by Backscattering Spectral Interferometry." <u>Optics Communications</u> 117(1-2): 43-48. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (2000). "A thermal light source technique for optical coherence tomography." <u>Optics Communications</u> 185(1-3): 57-64. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (2001). "Numerical dispersion compensation for Partial Coherence Interferometry and Optical Coherence Tomography." <u>Optics Express</u> 9(12): 610-615. |
| | | Fercher, A. F., C. K. Hitzenberger, et al. (2002). "Dispersion compensation for optical coherence tomography depth- scan signals by a numerical technique." <u>Optics Communications</u> 204(1-6): 67-74. |
| | | Fercher, A. F., H. C. Li, et al. (1993). "Slit Lamp Laser-Doppler Interferometer." <u>Lasers in Surgery and Medicine</u> 13(4): 447-452. |

Examiner

Gene KL

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| OK | | Fercher, A. F., K. Mengedoh, et al. (1988). "Eye-Length Measurement by Interferometry with Partially Coherent-Light." <u>Optics Letters</u> 13(3): 186-188. |
| | | Ferro, P., M. Haelterman, et al. (1991). "All-Optical Polarization Switch with Long Low-Birefringence Fiber." <u>Electronics Letters</u> 27(16): 1407-1408. |
| | | Fetterman, M. R., D. Goswami, et al. (1998). "Ultrafast pulse shaping: amplification and characterization." <u>Optics Express</u> 3(10): 366-375. |
| | | Findl, O., W. Drexler, et al. (2001). "Improved prediction of intraocular lens power using partial coherence interferometry." <u>Journal of Cataract and Refractive Surgery</u> 27 (6): 861-867. |
| | | Fork, R. L., C. H. B. Cruz, et al. (1987). "Compression of Optical Pulses to 6 Femtoseconds by Using Cubic Phase Compensation." <u>Optics Letters</u> 12(7): 483-485. |
| | | Foschini, G. J. and C. D. Poole (1991). "Statistical-Theory of Polarization Dispersion in Single-Mode Fibers." <u>Journal of Lightwave Technology</u> 9(11): 1439-1456. |
| | | Francia, C., F. Bruyere, et al. (1998). "PMD second-order effects on pulse propagation in single-mode optical fibers." <u>Ieee Photonics Technology Letters</u> 10(12): 1739-1741 |
| | | Fried, D., R. E. Glens, et al. (1995). "Nature of Light-Scattering in Dental Enamel and Dentin at Visible and near-Infrared Wavelengths." <u>Applied Optics</u> 34(7): 1278-1285. |
| | | Fujimoto, J. G., M. E. Brezinski, et al. (1995). "Optical Biopsy and Imaging Using Optical Coherence Tomography." <u>Nature Medicine</u> 1(9): 970-972. |
| | | Fukasawa, A. and H. Iijima (2002). "Optical coherence tomography of choroidal osteoma." <u>American Journal of Ophthalmology</u> 133(3): 419-21. |
| | | Fymat, A. L. (1981). "High-Resolution Interferometric Spectrophotopolarimetry." <u>Optical Engineering</u> 20(1): 25-30. |
| | | Galtarossa, A., L. Palmieri, et al. (2000). "Statistical characterization of fiber random birefringence." <u>Optics Letters</u> 25(18): 1322-1324. |

Examiner

Law KL

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Galtarossa, A., L. Palmieri, et al. (2000). "Measurements of beat length and perturbation length in long single-mode fibers." <u>Optics Letters</u> 25(6): 384-386. |
| | | Gandjbakhche, A. H., P. Mills, et al. (1994). "Light-Scattering Technique for the Study of Orientation and Deformation of Red-Blood-Cells in a Concentrated Suspension." <u>Applied Optics</u> 33(6): 1070-1078. |
| | | Garcia, N. and M. Nieto-Vesperinas (2002). "Left-handed materials do not make a perfect lens." <u>Physical Review Letters</u> 88(20). |
| | | Gelikonov, V. M., G. V. Gelikonov, et al. (1995). "Coherent Optical Tomography of Microscopic Inhomogeneities in Biological Tissues." <u>Jetp Letters</u> 61(2): 158-162. |
| | | George, N. and A. Jain (1973). "Speckle Reduction Using Multiple Tones of Illumination." <u>Applied Optics</u> 12(6): 1202-1212. |
| | | Gibson, G. N., R. Klank, et al. (1996). "Electro-optically cavity-dumped ultrashort-pulse Ti:sapphire oscillator." <u>Optics Letters</u> 21(14): 1055. |
| | | Gil, J. J. (2000). "Characteristic properties of Mueller matrices." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 17(2): 328-334. |
| | | Gil, J. J. and E. Bernabeu (1987). "Obtainment of the Polarizing and Retardation Parameters of a Nondepolarizing Optical-System from the Polar Decomposition of Its Mueller Matrix." <u>Optik</u> 76(2): 67-71. |
| | | Gladkova, N. D., G. A. Petrova, et al. (2000). "In vivo optical coherence tomography imaging of human skin: norm and pathology." <u>Skin Research and Technology</u> 6 (1): 6-16. |
| | | Glaessl, A., A. G. Schreyer, et al. (2001). "Laser surgical planning with magnetic resonance imaging-based 3-dimensional reconstructions for intralesional Nd : YAG laser therapy of a venous malformation of the neck." <u>Archives of Dermatology</u> 137(10): 1331-1335. |
| | | Gloesmann, M., B. Hermann, et al. (2003). "Histologic correlation of pig retina radial stratification with ultrahigh-resolution optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 44(4): 1696-1703. |
| | | Goldberg, L. and D. Mehuys (1994). "High-Power Superluminescent Diode Source." <u>Electronics Letters</u> 30(20): 1682-1684. |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Goldsmith, J. A., Y. Li, et al. (2005). "Anterior chamber width measurement by high speed optical coherence tomography." <u>Ophthalmology</u> 112(2): 238-244. |
| | | Goldstein, L. E., J. A. Muffat, et al. (2003). "Cytosolic beta-amyloid deposition and supranuclear cataracts in lenses from people with Alzheimer's disease." <u>Lancet</u> 361(9365): 1258-1265. |
| | | Golubovic, B., B. E. Bouma, et al. (1996). "Thin crystal, room-temperature Cr/sup 4 +/-forstefite laser using near-infrared pumping." <u>Optics Letters</u> 21(24): 1993-1995. |
| | | Gonzalez, S. and Z. Tannous (2002). "Real-time, in vivo confocal reflectance microscopy of basal cell carcinoma." <u>Journal of the American Academy of Dermatology</u> 47(6): 869-874. |
| | | Gordon, M. O. and M. A. Kass (1999). "The Ocular Hypertension Treatment Study: design and baseline description of the participants." <u>Archives of Ophthalmology</u> 117(5): 573-83. |
| | | Grayson, T. P., J. R. Torgerson, et al. (1994). "Observation of a Nonlocal Pancharatnam Phase-Shift in the Process of Induced Coherence without Induced Emission." <u>Physical Review A</u> 49(1): 626-628. |
| | | Greaney, M. J., D. C. Hoffman, et al. (2002). "Comparison of optic nerve imaging methods to distinguish normal eyes from those with glaucoma." <u>Investigative Ophthalmology & Visual Science</u> 43(1): 140-5. |
| | | Greenfield, D. S., H. Bagga, et al. (2003). "Macular thickness changes in glaucomatous optic neuropathy detected using optical coherence tomography." <u>Archives of Ophthalmology</u> 121(1): 41-46. |
| | | Greenfield, D. S., R. W. Knighton, et al. (2000). "Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry." <u>American Journal of Ophthalmology</u> 129(6): 715-722. |
| | | Griffin, R. A., D. D. Sampson, et al. (1995). "Coherence Coding for Photonic Code-Division Multiple-Access Networks." <u>Journal of Lightwave Technology</u> 13(9): 1826-1837. |
| | | Guedes, V., J. S. Schuman, et al. (2003). "Optical coherence tomography measurement of macular and nerve fiber layer thickness in normal and glaucomatous human eyes." <u>Ophthalmology</u> 110(1): 177-189. |
| | | Gueugniaud, P. Y., H. Carsin, et al. (2000). "Current advances in the initial management of major thermal burns. [Review] [76 refs]." <u>Intensive Care Medicine</u> 26(7): 848-56. |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| SR | | Guido, S. and R. T. Tranquillo (1993). "A Methodology for the Systematic and Quantitative Study of Cell Contact Guidance in Oriented Collagen Gels - Correlation of Fibroblast Orientation and Gel Birefringence." <u>Journal of Cell Science</u> 105: 317-331. |
| | | Gurses-Ozden, R., H. Ishikawa, et al. (1999). "Increasing sampling density improves reproducibility of optical coherence tomography measurements." <u>Journal of Glaucoma</u> 8(4): 238-41. |
| | | Guzzi, R. (1998). "Scattering Theory from Homogeneous and Coated Spheres." 1-11. |
| | | Haberland, U. B., Vladimir; Schmitt, Hans J. (1996). "Optical coherent tomography of scattering media using electrically tunable near-infrared semiconductor laser." <u>Applied Optics</u> Draft Copy. |
| | | Haberland, U. R., Walter; Blazek, Vladimir; Schmitt, Hans J. (1995). "Investigation of highly scattering media using near-infrared continuous wave tunable semiconductor laser." <u>Proc. SPIE</u> , 2389: 503-512. |
| | | Hale, G. M. and M. R. Querry (1973). "Optical-Constants of Water in 200-Nm to 200-Mum Wavelength Region." <u>Applied Optics</u> 12(3): 555-563. |
| | | Hammer, D. X., R. D. Ferguson, et al. (2002). "Image stabilization for scanning laser ophthalmoscopy." <u>Optics Express</u> 10(26): 1542. |
| | | Hara, T., Y. Ooi, et al. (1989). "Transfer Characteristics of the Microchannel Spatial Light-Modulator." <u>Applied Optics</u> 28(22): 4781-4786. |
| | | Harland, C. C., S. G. Kale, et al. (2000). "Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound." <u>British Journal of Dermatology</u> 143(2): 281-289. |
| | | Hartl, I., X. D. Li, et al. (2001). "Ultrahigh-resolution optical coherence tomography using continuum generation in an air-silica microstructure optical fiber." <u>Optics Letters</u> 26(9): 608-610. |
| | | Hassenstein, A., A. A. Bialasiewicz, et al. (2000). "Optical coherence tomography in uveitis patients." <u>American Journal of Ophthalmology</u> 130(5): 669-70. |
| | | Hattenhauer, M. G., D. H. Johnson, et al. (1998). "The probability of blindness from open-angle glaucoma. [see comments]." <u>Ophthalmology</u> 105(11): 2099-104. |

Examiner



Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | |
|--|--|
| | Hausler, G., J. M. Hermann, et al. (1996). "Observation of light propagation in volume scatterers with 10(11)-fold slow motion." <u>Optics Letters</u> 21(14): 1087-1089. |
| | Hazebroek, H. F. and A. A. Holscher (1973). "Interferometric Ellipsometry." <u>Journal of Physics E-Scientific Instruments</u> 6(9): 822-826. |
| | Hazebroek, H. F. and W. M. Visser (1983). "Automated Laser Interferometric Ellipsometry and Precision Reflectometry." <u>Journal of Physics E-Scientific Instruments</u> 16(7): 654-661. |
| | He, Z. Y., N. Mukohzaka, et al. (1997). "Selective image extraction by synthesis of the coherence function using two-dimensional optical lock-in amplifier with microchannel spatial light modulator." <u>Ieee Photonics Technology Letters</u> 9(4): 514-516. |
| | Hee, M. R., J. A. Izatt, et al. (1993). "Femtosecond Transillumination Optical Coherence Tomography." <u>Optics Letters</u> 18(12): 950-952. |
| | Hee, M. R., J. A. Izatt, et al. (1995). "Optical coherence tomography of the human retina." <u>Archives of Ophthalmology</u> 113(3): 325-32. |
| | Hee, M. R., C. A. Puliafito, et al. (1998). "Topography of diabetic macular edema with optical coherence tomography." <u>Ophthalmology</u> 105(2): 360-70. |
| | Hee, M. R., C. A. Puliafito, et al. (1995). "Quantitative assessment of macular edema with optical coherence tomography." <u>Archives of Ophthalmology</u> 113(8): 1019-29. |
| | Hellmuth, T. and M. Welle (1998). "Simultaneous measurement of dispersion, spectrum, and distance with a fourier transform spectrometer." <u>Journal of Biomedical Optics</u> 3(1): 7-11. |
| | Hemenger, R. P. (1989). "Birefringence of a medium of tenuous parallel cylinders." <u>APPLIED OPTICS</u> 28(18): 4030-4034. |
| | Henry, M. (1981). "Fresnel-Arago Laws for Interference in Polarized-Light - Demonstration Experiment." <u>American Journal of Physics</u> 49(7): 690-691. |
| | Herz, P. R., Y. Chen, et al. (2004). "Micromotor endoscope catheter for in vivo, ultrahigh-resolution optical coherence tomography." <u>Optics Letters</u> 29(19): 2261-2263. |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245













Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|--|
|  | | Hirakawa, H., H. Iijima, et al. (1999). "Optical coherence tomography of cystoid macular edema associated with retinitis pigmentosa." <u>American Journal of Ophthalmology</u> 128(2): 185-91. |
|  | | Hitzenberger, C. K., A. Baumgartner, et al. (1994). "Interferometric Measurement of Corneal Thickness with Micrometer Precision." <u>American Journal of Ophthalmology</u> 118(4): 468-476. |
|  | | Hitzenberger, C. K., A. Baumgartner, et al. (1999). "Dispersion effects in partial coherence interferometry: Implications for intraocular ranging." <u>Journal of Biomedical Optics</u> 4(1): 144-151. |
|  | | Hitzenberger, C. K., A. Baumgartner, et al. (1998). "Dispersion induced multiple signal peak splitting in partial coherence interferometry." <u>Optics Communications</u> 154 (4): 179-185. |
|  | | Hitzenberger, C. K., M. Danner, et al. (1999). "Measurement of the spatial coherence of superluminescent diodes." <u>Journal of Modern Optics</u> 46(12): 1763-1774. |
|  | | Hitzenberger, C. K. and A. F. Fercher (1999). "Differential phase contrast in optical coherence tomography." <u>Optics Letters</u> 24(9): 622-624. |
|  | | Hitzenberger, C. K., M. Sticker, et al. (2001). "Differential phase measurements in low-coherence interferometry without 2 pi ambiguity." <u>Optics Letters</u> 26(23): 1864-1866. |
|  | | Hoeling, B. M., A. D. Fernandez, et al. (2000). "An optical coherence microscope for 3-dimensional imaging in developmental biology." <u>Optics Express</u> 6(7): 136-146. |
|  | | Hoerauf, H., C. Scholz, et al. (2002). "Transscleral optical coherence tomography: a new imaging method for the anterior segment of the eye." <u>Archives of Ophthalmology</u> 120(6): 816-9. |
|  | | Hoffmann, K., M. Happe, et al. (1998). "Optical coherence tomography (OCT) in dermatology." <u>Journal of Investigative Dermatology</u> 110(4): 583-583. |
|  | | Hoh, S. T., D. S. Greenfield, et al. (2000). "Optical coherence tomography and scanning laser polarimetry in normal, ocular hypertensive, and glaucomatous eyes." <u>American Journal of Ophthalmology</u> 129(2): 129-35. |
|  | | Hohenleutner, U., M. Hilbert, et al. (1995). "Epidermal Damage and Limited Coagulation Depth with the Flashlamp-Pumped Pulsed Dye-Laser - a Histochemical-Study." <u>Journal of Investigative Dermatology</u> 104(5): 798-802. |

Examiner



Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Holland, A. J. A., H. C. O. Martin, et al. (2002). "Laser Doppler imaging prediction of burn wound outcome in children." <u>Burns</u> 28(1): 11-17. |
| | | Hotate, K. and T. Okugawa (1994). "Optical Information-Processing by Synthesis of the Coherence Function." <u>Journal of Lightwave Technology</u> 12(7): 1247-1255. |
| | | Hourdakis, C. J. and A. Perris (1995). "A Monte-Carlo Estimation of Tissue Optical-Properties for Use in Laser Dosimetry." <u>Physics in Medicine and Biology</u> 40(3): 351-364. |
| | | Hu, Z., F. Li, et al. (2000). "Wavelength-tunable narrow-linewidth semiconductor fiber-ring laser." <u>IEEE Photonics Technology Letters</u> 12(8): 977-979. |
| | | Huang, F., W. Yang, et al. (2001). "Quadrature spectral interferometric detection and pulse shaping." <u>Optics Letters</u> 26(6): 382-384. |
| | | Huang, X. R. and R. W. Knighton (2002). "Linear birefringence of the retinal nerve fiber layer measured in vitro with a multispectral imaging micropolarimeter." <u>Journal of Biomedical Optics</u> 7(2): 199-204. |
| | | Huber, R., M. Wojtkowski, et al. (2005). "Amplified, frequency swept lasers for frequency domain reflectometry and OCT imaging: design and scaling principles." <u>Optics Express</u> 13(9): 3513-3528. |
| | | Hunter, D. G., J. C. Sandruck, et al. (1999). "Mathematical modeling of retinal birefringence scanning." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 16(9): 2103-2111. |
| | | Hurwitz, H. H. and R. C. Jones (1941). "A new calculus for the treatment of optical systems II. Proof of three general equivalence theorems." <u>Journal of the Optical Society of America</u> 31(7): 493-499. |
| | | Huttner, B., C. De Barros, et al. (1999). "Polarization-induced pulse spreading in birefringent optical fibers with zero differential group delay." <u>Optics Letters</u> 24(6): 370-372. |
| | | Huttner, B., B. Gisin, et al. (1999). "Distributed PMD measurement with a polarization-OTDR in optical fibers." <u>Journal of Lightwave Technology</u> 17(10): 1843-1848. |

Examiner



Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| SR | | Huttner, B., J. Reecht, et al. (1998). "Local birefringence measurements in single-mode fibers with coherent optical frequency-domain reflectometry." <u>Ieee Photonics Technology Letters</u> 10(10): 1458-1460. |
| | | Hyde, S. C. W., N. P. Barry, et al. (1995). "Sub-100-Mu-M Depth-Resolved Holographic Imaging through Scattering Media in the near-Infrared." <u>Optics Letters</u> 20(22): 2330-2332. |
| | | Hyde, S. C. W., N. P. Barry, et al. (1995). "Depth-Resolved Holographic Imaging through Scattering Media by Photorefractive." <u>Optics Letters</u> 20(11): 1331-1333. |
| | | Iftimia, N. V., B. E. Bouma, et al. (2004). "Adaptive ranging for optical coherence tomography." <u>Optics Express</u> 12(17): 4025-4034. |
| | | Iida, T., N. Hagimura, et al. (2000). "Evaluation of central serous chorioretinopathy with optical coherence tomography." <u>American Journal of Ophthalmology</u> 129(1): 16-20. |
| | | Imai, M., H. Iijima, et al. (2001). "Optical coherence tomography of tractional macular elevations in eyes with proliferative diabetic retinopathy. [republished in Am J Ophthalmol. 2001 Sep;132(3):458-61 ; 11530091.]." <u>American Journal of Ophthalmology</u> 132(1): 81-4. |
| | | Indebetouw, G. and P. Klysubun (2000). "Imaging through scattering media with depth resolution by use of low-coherence gating in spatiotemporal digital holography." <u>Optics Letters</u> 25(4): 212-214. |
| | | Ip, M. S., B. J. Baker, et al. (2002). "Anatomical outcomes of surgery for idiopathic macular hole as determined by optical coherence tomography." <u>Archives of Ophthalmology</u> 120(1): 29-35. |
| | | Ismail, R., V. Tanner, et al. (2002). "Optical coherence tomography imaging of severe commotio retinae and associated macular hole." <u>British Journal of Ophthalmology</u> 86(4): 473-4. |
| | | Izatt, J. A., M. R. Hee, et al. (1994). "Optical Coherence Microscopy in Scattering Media." <u>Optics Letters</u> 19(8): 590-592. |
| | | Izatt, J. A., M. R. Hee, et al. (1994). "Micrometer-scale resolution imaging of the anterior eye in vivo with optical coherence tomography." <u>Archives of Ophthalmology</u> 112 (12): 1584-9. |

Examiner

David K/R

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Izatt, J. A., M. D. Kulkarni, et al. (1997). "In vivo bidirectional color Doppler flow imaging of picoliter blood volumes using optical coherence tomography." <u>Optics Letters</u> 22(18): 1439-1441. |
| | | Izatt, J. A., M. D. Kulkarni, et al. (1996). "Optical coherence tomography and microscopy in gastrointestinal tissues." <u>IEEE Journal of Selected Topics in Quantum Electronics</u> 2(4): 1017. |
| | | Jacques, S. L., J. S. Nelson, et al. (1993). "Pulsed Photothermal Radiometry of Port-Wine-Stain Lesions." <u>Applied Optics</u> 32(13): 2439-2446. |
| | | Jacques, S. L., J. R. Roman, et al. (2000). "Imaging superficial tissues with polarized light." <u>Lasers in Surgery and Medicine</u> 26(2): 119-129. |
| | | Jang, I. K., B. E. Bouma, et al. (2002). "Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: Comparison with intravascular ultrasound." <u>Journal of the American College of Cardiology</u> 39(4): 604-609. |
| | | Jang, I. K., B. D. MacNeill, et al. (2002). "In-vivo characterization of coronary plaques in patients with ST elevation acute myocardial infarction using optical coherence tomography (OCT)." <u>Circulation</u> 106(19): 698-698 3440 Suppl. S. |
| | | Jang, I. K., G. J. Tearney, et al. (2000). "Comparison of optical coherence tomography and intravascular ultrasound for detection of coronary plaques with large lipid-core in living patients." <u>Circulation</u> 102(18): 509-509. |
| | | Jeng, J. C., A. Bridgeman, et al. (2003). "Laser Doppler imaging determines need for excision and grafting in advance of clinical judgment: a prospective blinded trial." <u>Burns</u> 29(7): 665-670. |
| | | Jesser, C. A., S. A. Boppart, et al. (1999). "High resolution imaging of transitional cell carcinoma with optical coherence tomography: feasibility for the evaluation of bladder pathology." <u>British Journal of Radiology</u> 72: 1170-1176. |
| | | Johnson, C. A., J. L. Keltner, et al. (2002). "Baseline visual field characteristics in the ocular hypertension treatment study." <u>Ophthalmology</u> 109(3): 432-7. |
| | | Jones, R. C. (1941). "A new calculus for the treatment of optical systems III. The Sohncke theory of optical activity." <u>Journal of the Optical Society of America</u> 31 (7): 500-503. |

Examiner

Tate LL

Date Considered

11/14/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No:
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
| | | Jones, R. C. (1941). "A new calculus for the treatment of optical systems I. Description and discussion of the calculus." <u>Journal of the Optical Society of America</u> 31(7): 488-493. |
| | | Jones, R. C. (1942). "A new calculus for the treatment of optical systems. IV." <u>Journal of the Optical Society of America</u> 32(8): 486-493. |
| | | Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .6. Experimental Determination of the Matrix." <u>Journal of the Optical Society of America</u> 37(2): 110-112. |
| | | Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .5. A More General Formulation, and Description of Another Calculus." <u>Journal of the Optical Society of America</u> 37(2): 107-110. |
| | | Jones, R. C. (1948). "A New Calculus for the Treatment of Optical Systems .7. Properties of the N-Matrices." <u>Journal of the Optical Society of America</u> 38(8): 671-685. |
| | | Jones, R. C. (1956). "New Calculus for the Treatment of Optical Systems .8. Electromagnetic Theory." <u>Journal of the Optical Society of America</u> 46(2): 126-131. |
| | | Jopson, R. M., L. E. Nelson, et al. (1999). "Measurement of second-order polarization-mode dispersion vectors in optical fibers." <u>Ieee Photonics Technology Letters</u> 11 (9): 1153-1155. |
| | | Jost, B. M., A. V. Sergienko, et al. (1998). "Spatial correlations of spontaneously down-converted photon pairs detected with a single-photon-sensitive CCD camera." <u>Optics Express</u> 3(2): 81-88. |
| | | Kaplan, B., E. Compain, et al. (2000). "Phase-modulated Mueller ellipsometry characterization of scattering by latex sphere suspensions." <u>Applied Optics</u> 39 (4): 629-636. |
| | | Kass, M. A., D. K. Heuer, et al. (2002). "The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma." <u>Archives of Ophthalmology</u> 120(6): 701-13; discussion 829-30. |
| | | Kasuga, Y., J. Arai, et al. (2000). "Optical coherence tomography to confirm early closure of macular holes." <u>American Journal of Ophthalmology</u> 130(5): 675-6. |

Examiner

Date Considered

11/10/00

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | | |
|----|--|--|--|
| OK | | | Kaufman, T., S. N. Lusthaus, et al. (1990). "Deep Partial Skin Thickness Burns - a Reproducible Animal-Model to Study Burn Wound-Healing." <u>Burns</u> 16(1): 13-16. |
| 1 | | | Kemp, N. J., J. Park, et al. (2005). "High-sensitivity determination of birefringence in turbid media with enhanced polarization-sensitive optical coherence tomography." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 22(3): 552-560. |
| | | | Kerrigan-Baumrind, L. A., H. A. Quigley, et al. (2000). "Number of ganglion cells in glaucoma eyes compared with threshold visual field tests in the same persons." <u>Investigative Ophthalmology & Visual Science</u> 41(3): 741-8. |
| | | | Kesen, M. R., G. L. Spaeth, et al. (2002). "The Heidelberg Retina Tomograph vs clinical impression in the diagnosis of glaucoma." <u>American Journal of Ophthalmology</u> 133(5): 613-6. |
| | | | Kienle, A. and R. Hibst (1995). "A New Optimal Wavelength for Treatment of Port-Wine Stains." <u>Physics in Medicine and Biology</u> 40(10): 1559-1576. |
| | | | Kienle, A., L. Lilge, et al. (1996). "Spatially resolved absolute diffuse reflectance measurements for noninvasive determination of the optical scattering and absorption coefficients of biological tissue." <u>Applied Optics</u> 35(13): 2304-2314. |
| | | | Kim, B. Y. and S. S. Choi (1981). "Analysis and Measurement of Birefringence in Single-Mode Fibers Using the Backscattering Method." <u>Optics Letters</u> 6(11): 578-580. |
| | | | Kimel, S., L. O. Svaasand, et al. (1994). "Differential Vascular-Response to Laser Photothermolysis." <u>Journal of Investigative Dermatology</u> 103(5): 693-700. |
| | | | Kloppenber, F. W. H., G. Beerthuis, et al. (2001). "Perfusion of burn wounds assessed by Laser Doppler Imaging is related to burn depth and healing time." <u>Burns</u> 27(4): 359-363. |
| | | | Knighton, R. W. and X. R. Huang (2002). "Analytical methods for scanning laser polarimetry." <u>Optics Express</u> 10(21): 1179-1189. |
| | | | Knighton, R. W., X. R. Huang, et al. (2002). "Analytical model of scanning laser polarimetry for retinal nerve fiber layer assessment." <u>Investigative Ophthalmology & Visual Science</u> 43(2): 383-392. |

Examiner

James K. H.

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000.

Group
3737

| | | |
|--|--|--|
| | | Knuettel, A. R. S., Joseph M.; Shay, M.; Knutson, Jay R. (1994). "Stationary low-coherence light imaging and spectroscopy using a CCD camera." <u>Proc. SPIE</u> , Vol. 2135: p. 239-250. |
| | | Knuttel, A. and M. Boehlau-Godau (2000). "Spatially confined and temporally resolved refractive index and scattering evaluation in human skin performed with optical coherence tomography." <u>Journal of Biomedical Optics</u> 5(1): 83-92. |
| | | Knuttel, A. and J. M. Schmitt (1993). "Stationary Depth-Profiling Reflectometer Based on Low-Coherence Interferometry." <u>Optics Communications</u> 102(3-4): 193-198. |
| | | Knuttel, A., J. M. Schmitt, et al. (1994). "Low-Coherence Reflectometry for Stationary Lateral and Depth Profiling with Acoustooptic Deflectors and a Ccd Camera." <u>Optics Letters</u> 19(4): 302-304. |
| | | Kobayashi, M., H. Hanafusa, et al. (1991). "Polarization-Independent Interferometric Optical-Time-Domain Reflectometer." <u>Journal of Lightwave Technology</u> 9(5): 623-628. |
| | | Kolios, M. C., M. D. Sherar, et al. (1995). "Large Blood-Vessel Cooling in Heated Tissues - a Numerical Study." <u>Physics in Medicine and Biology</u> 40(4): 477-494. |
| | | Koozekanani, D., K. Boyer, et al. (2001). "Retinal thickness measurements from optical coherence tomography using a Markov boundary model." <u>Ieee Transactions on Medical Imaging</u> 20(9): 900-916. |
| | | Kop, R. H. J. and R. Sprik (1995). "Phase-sensitive interferometry with ultrashort optical pulses." <u>Review of Scientific Instruments</u> 66(12): 5459-5463. |
| | | Kramer, R. Z., J. Bella, et al. (1999). "Sequence dependent conformational variations of collagen triple-helical structure." <u>Nature Structural Biology</u> 6(5): 454-7. |
| | | Kulkarni, M. D., T. G. van Leeuwen, et al. (1998). "Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography." <u>Optics Letters</u> 23(13): 1057-1059. |
| | | Kwon, Y. H., C. S. Kim, et al. (2001). "Rate of visual field loss and long-term visual outcome in primary open-angle glaucoma." <u>American Journal of Ophthalmology</u> 132(1): 47-56. |
| | | Kwong, K. F., D. Yankelevich, et al. (1993). "400-Hz Mechanical Scanning Optical Delay-Line." <u>Optics Letters</u> 18(7): 558-560. |

Examiner

Date Considered

11/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245


Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|--|
|  | | Landers, J., I. Goldberg, et al. (2002). "Analysis of risk factors that may be associated with progression from ocular hypertension to primary open angle glaucoma." <u>Clin Experiment Ophthalmology</u> 30(4): 242-7. |
| | | Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. <u>Stress of Life</u> . 851: 169-178. |
| | | Laszlo, A. and A. Venetianer (1998). "Heat resistance in mammalian cells: lessons and challenges. [Review] [52 refs]." <u>Annals of the New York Academy of Sciences</u> 851: 169-78. |
| | | Laufer, J., R. Simpson, et al. (1998). "Effect of temperature on the optical properties of ex vivo human dermis and subdermis." <u>Physics in Medicine and Biology</u> 43(9): 2479-2489. |
| | | Lederer, D. E., J. S. Schuman, et al. (2003). "Analysis of macular volume in normal and glaucomatous eyes using optical coherence tomography." <u>American Journal of Ophthalmology</u> 135(6): 838-843. |
| | | Lee, P. P., Z. W. Feldman, et al. (2003). "Longitudinal prevalence of major eye diseases." <u>Archives of Ophthalmology</u> 121(9): 1303-1310. |
| | | Lehrer, M. S., T. T. Sun, et al. (1998). "Strategies of epithelial repair: modulation of stem cell and transit amplifying cell proliferation." <u>Journal of Cell Science</u> 111(Pt 19): 2867-75. |
| | | Leibowitz, H. M., D. E. Krueger, et al. (1980). "The Framingham Eye Study monograph: An ophthalmological and epidemiological study of cataract, glaucoma, diabetic retinopathy, macular degeneration, and visual acuity in a general population of 2631 adults, 1973-1975." <u>Survey of Ophthalmology</u> 24(Suppl): 335-610. |
| | | Leitgeb, R., C. K. Hitzenger, et al. (2003). "Performance of fourier domain vs. time domain optical coherence tomography." <u>Optics Express</u> 11(8): 889-894. |
| | | Leitgeb, R., L. F. Schmetterer, et al. (2002). "Flow velocity measurements by frequency domain short coherence interferometry." <u>Proc. SPIE</u> 4619: 16-21. |
| | | Leitgeb, R. A., W. Drexler, et al. (2004). "Ultrahigh resolution Fourier domain optical coherence tomography." <u>Optics Express</u> 12(10): 2156-2165. |

Examiner



Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| DK | | Leitgeb, R. A., C. K. Hitzenberger, et al. (2003). "Phase-shifting algorithm to achieve high-speed long-depth-range probing by frequency-domain optical coherence tomography." <u>Optics Letters</u> 28(22): 2201-2203. |
| | | Leitgeb, R. A., L. Schmetterer, et al. (2003). "Real-time assessment of retinal blood flow with ultrafast acquisition by color Doppler Fourier domain optical coherence tomography." <u>Optics Express</u> 11(23): 3116-3121. |
| | | Leitgeb, R. A., L. Schmetterer, et al. (2004). "Real-time measurement of in vitro flow by Fourier-domain color Doppler optical coherence tomography." <u>Optics Letters</u> 29 (2): 171-173. |
| | | LeRoyBrehonnet, F. and B. LeJeune (1997). "Utilization of Mueller matrix formalism to obtain optical targets depolarization and polarization properties." <u>Progress in Quantum Electronics</u> 21(2): 109-151. |
| | | Leske, M. C., A. M. Connell, et al. (1995). "Risk factors for open-angle glaucoma. The Barbados Eye Study. [see comments]." <u>Archives of Ophthalmology</u> 113(7): 918-24. |
| | | Leske, M. C., A. M. Connell, et al. (2001). "Incidence of open-angle glaucoma: the Barbados Eye Studies. The Barbados Eye Studies Group. [see comments]." <u>Archives of Ophthalmology</u> 119(1): 89-95. |
| | | Leske, M. C., A. Heijl, et al. (1999). "Early Manifest Glaucoma Trial. Design and Baseline Data." <u>Ophthalmology</u> 106(11): 2144-2153. |
| | | Lewis, S. E., J. R. DeBoer, et al. (2005). "Sensitive, selective, and analytical improvements to a porous silicon gas sensor." <u>Sensors and Actuators B: Chemical</u> 110(1): 54-65. |
| | | Lexer, F., C. K. Hitzenberger, et al. (1999). "Dynamic coherent focus OCT with depth- independent transversal resolution." <u>Journal of Modern Optics</u> 46(3): 541-553. |
| | | Li, X., C. Chudoba, et al. (2000). "Imaging needle for optical coherence tomography." <u>Optics Letters</u> 25: 1520-1522. |
| | | Li, X., T. H. Ko, et al. (2001). "Intraluminal fiber-optic Doppler imaging catheter for structural and functional optical coherence tomography." <u>Optics Letters</u> 26: 1906-1908. |
| | | Liddington, M. I. and P. G. Shakespeare (1996). "Timing of the thermographic assessment of burns." <u>Burns</u> 22(1): 26-8. |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| OK | | Lindmo, T., D. J. Smithies, et al. (1998). "Accuracy and noise in optical Doppler tomography studied by Monte Carlo simulation." <u>Physics in Medicine and Biology</u> 43(10): 3045-3064. |
| | | Liu, J., X. Chen, et al. (1999). "New thermal wave aspects on burn evaluation of skin subjected to instantaneous heating." <u>IEEE Transactions on Biomedical Engineering</u> 46(4): 420-8. |
| | | Luke, D. G., R. McBride, et al. (1995). "Polarization mode dispersion minimization in fiber-wound piezoelectric cylinders." <u>Optics Letters</u> 20(24): 2550-2552. |
| | | MacNeill, B. D., I. K. Jang, et al. (2004). "Focal and multi-focal plaque distributions in patients with macrophage acute and stable presentations of coronary artery disease." <u>Journal of the American College of Cardiology</u> 44(5): 972-979. |
| | | Mahgerefteh, D. and C. R. Menyuk (1999). "Effect of first-order PMD compensation on the statistics of pulse broadening in a fiber with randomly varying birefringence." <u>Ieee Photonics Technology Letters</u> 11(3): 340-342. |
| | | Maitland, D. J. and J. T. Walsh, Jr. (1997). "Quantitative measurements of linear birefringence during heating of native collagen." <u>Lasers in Surgery & Medicine</u> 20 (3): 310-8. |
| | | Majaron, B., S. M. Srinivas, et al. (2000). "Deep coagulation of dermal collagen with repetitive Er : YAG laser irradiation." <u>Lasers in Surgery and Medicine</u> 26(2): 215-222. |
| | | Mansuripur, M. (1991). "Effects of High-Numerical-Aperture Focusing on the State of Polarization in Optical and Magneto-optic Data-Storage Systems." <u>Applied Optics</u> 30(22): 3154-3162. |
| | | Marshall, G. W., S. J. Marshall, et al. (1997). "The dentin substrate: structure and properties related to bonding." <u>Journal of Dentistry</u> 25(6): 441-458. |
| | | Martin, P. (1997). "Wound healing - Aiming for perfect skin regeneration." <u>Science</u> 276 (5309): 75-81. |
| | | Martinez, O. E. (1987). "3000 Times Grating Compressor with Positive Group-Velocity Dispersion - Application to Fiber Compensation in 1.3-1.6 μ -M Region." <u>Ieee Journal of Quantum Electronics</u> 23(1): 59-64. |
| | | Martinez, O. E., J. P. Gordon, et al. (1984). "Negative Group-Velocity Dispersion Using Refraction." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 1(10): 1003-1006. |

Examiner

[Signature]

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|---|--|--|
| ✓ | | McKinney, J. D., M. A. Webster, et al. (2000). "Characterization and imaging in optically scattering media by use of laser speckle and a variable-coherence source." <u>Optics Letters</u> 25(1): 4-6. |
| | | Miglior, S., M. Casula, et al. (2001). "Clinical ability of Heidelberg retinal tomograph examination to detect glaucomatous visual field changes." <u>Ophthalmology</u> 108 (9): 1621-7. |
| | | Milner, T. E., D. M. Goodman, et al. (1996). "Imaging laser heated subsurface chromophores in biological materials: Determination of lateral physical dimensions." <u>Physics in Medicine and Biology</u> 41(1): 31-44. |
| | | Milner, T. E., D. M. Goodman, et al. (1995). "Depth Profiling of Laser-Heated Chromophores in Biological Tissues by Pulsed Photothermal Radiometry." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 12 (7): 1479-1488. |
| | | Milner, T. E., D. J. Smithies, et al. (1996). "Depth determination of chromophores in human skin by pulsed photothermal radiometry." <u>Applied Optics</u> 35(19): 3379-3385. |
| | | Mishchenko, M. I. and J. W. Hovenier (1995). "Depolarization of Light Backscattered by Randomly Oriented Nonspherical Particles." <u>Optics Letters</u> 20(12): 1356-&. |
| | | Mistlberger, A., J. M. Liebmann, et al. (1999). "Heidelberg retina tomography and optical coherence tomography in normal, ocular-hypertensive, and glaucomatous eyes." <u>Ophthalmology</u> 106(10): 2027-32. |
| | | Mitsui, T. (1999). "High-speed detection of ballistic photons propagating through suspensions using spectral interferometry." <u>Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers</u> 38(5A): 2978-2982. |
| | | Molteno, A. C., N. J. Bosma, et al. (1999). "Otago glaucoma surgery outcome study: long-term results of trabeculectomy--1976 to 1995." <u>Ophthalmology</u> 106(9): 1742-50. |
| | | Morgner, U., W. Drexler, et al. (2000). "Spectroscopic optical coherence tomography." <u>Optics Letters</u> 25(2): 111-113. |
| | | Morgner, U., F. X. Kartner, et al. (1999). "Sub-two-cycle pulses from a Kerr-lens mode-locked Ti : sapphire laser (vol 24, pg 411, 1999)." <u>Optics Letters</u> 24(13): 920-920. |

Examiner

James L.H.

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| DK | | Mourant, J. R., A. H. Hielscher, et al. (1998). "Evidence of intrinsic differences in the light scattering properties of tumorigenic and nontumorigenic cells." <u>Cancer Cytopathology</u> 84(6): 366-374. |
| | | Muller, M., J. Squier, et al. (1998). "Dispersion pre-compensation of 15 femtosecond optical pulses for high-numerical-aperture objectives." <u>Journal of Microscopy-Oxford</u> 191: 141-150. |
| | | Muscat, S., N. McKay, et al. (2002). "Repeatability and reproducibility of corneal thickness measurements by optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 43(6): 1791-5. |
| | | Musch, D. C., P. R. Lichter, et al. (1999). "The Collaborative Initial Glaucoma Treatment Study. Study Design, Methods, and Baseline Characteristics of Enrolled Patients." <u>Ophthalmology</u> 106: 653-662. |
| | | Neerken, S., Lucassen, G.W., Bisschop, M.A., Lenderink, E., Nuijs, T.A.M. (2004). "Characterization of age-related effects in human skin: A comparative study that applies confocal laser scanning microscopy and optical coherence tomography." <u>Journal of Biomedical Optics</u> 9(2): 274-281. |
| | | Nelson, J. S., K. M. Kelly, et al. (2001). "Imaging blood flow in human port-wine stain in situ and in real time using optical Doppler tomography." <u>Archives of Dermatology</u> 137(6): 741-744. |
| | | Newson, T. P., F. Farahi, et al. (1988). "Combined Interferometric and Polarimetric Fiber Optic Temperature Sensor with a Short Coherence Length Source." <u>Optics Communications</u> 68(3): 161-165. |
| | | November, L. J. (1993). "Recovery of the Matrix Operators in the Similarity and Congruency Transformations - Applications in Polarimetry." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 10(4): 719-739. |
| | | Oh, W. Y., S. H. Yun, et al. (2005). "Wide tuning range wavelength-swept laser with two semiconductor optical amplifiers." <u>Ieee Photonics Technology Letters</u> 17(3): 678- 680. |
| | | Oka, K. and T. Kato (1999). "Spectroscopic polarimetry with a channeled spectrum." <u>Optics Letters</u> 24(21): 1475-1477. |
| | | Okugawa, T. and K. Rotate (1996). "Real-time optical image processing by synthesis of the coherence function using real-time holography." <u>Ieee Photonics Technology Letters</u> 8(2): 257-259. |

Examiner

Tearney KL

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| OK | | Oshima, M., R. Torii, et al. (2001). "Finite element simulation of blood flow in the cerebral artery." <u>Computer Methods in Applied Mechanics and Engineering</u> 191 (6-7): 661-671. |
| | | Pan, Y. T., H. K. Xie, et al. (2001). "Endoscopic optical coherence tomography based on a microelectromechanical mirror." <u>Optics Letters</u> 26(24): 1966-1968. |
| | | Parisi, V., G. Manni, et al. (2001). "Correlation between optical coherence tomography, pattern electroretinogram, and visual evoked potentials in open-angle glaucoma patients." <u>Ophthalmology</u> 108(5): 905-12. |
| | | Park, B. H., M. C. Pierce, et al. (2005). "Real-time fiber-based multi-functional spectral-domain optical coherence tomography at 1.3 μ m." <u>Optics Express</u> 13(11): 3931-3944. |
| | | Park, D. H., J. W. Hwang, et al. (1998). "Use of laser Doppler flowmetry for estimation of the depth of burns." <u>Plastic and Reconstructive Surgery</u> 101(6): 1516-1523. |
| | | Pendry, J. B., A. J. Holden, et al. (1999). "Magnetism from conductors and enhanced nonlinear phenomena." <u>Ieee Transactions on Microwave Theory and Techniques</u> 47(11): 2075-2084. |
| | | Penninckx, D. and V. Morenas (1999). "Jones matrix of polarization mode dispersion." <u>Optics Letters</u> 24(13): 875-877. |
| | | Pierce, M. C., M. Shishkov, et al. (2005). "Effects of sample arm motion in endoscopic polarization-sensitive optical coherence tomography." <u>Optics Express</u> 13(15): 5739-5749 |
| | | Pircher, M., E. Gotzinger, et al. (2003). "Measurement and imaging of water concentration in human cornea with differential absorption optical coherence tomography." <u>Optics Express</u> 11(18): 2190-2197. |
| | | Pircher, M., E. Gotzinger, et al. (2003). "Speckle reduction in optical coherence tomography by frequency compounding." <u>Journal of Biomedical Optics</u> 8(3): 565-569. |
| | | Podoleanu, A. G., G. M. Dobre, et al. (1998). "En-face coherence imaging using galvanometer scanner modulation." <u>Optics Letters</u> 23(3): 147-149. |













Examiner

Date Considered


11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|---|---------------------------------|
| Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office | Atty. Docket No. 187718/US - 475387-00245 | Serial No. 09/709,162 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | Applicant(s) Guillermo J. Tearney | |
| | Filing Date November 10, 2000 | Group 3737 |

| | | |
|---|--|--|
|  | | Podoleanu, A. G. and D. A. Jackson (1999). "Noise analysis of a combined optical coherence tomograph and a confocal scanning ophthalmoscope." <u>Applied Optics</u> 38(10): 2116-2127. |
|  | | Podoleanu, A. G., J. A. Rogers, et al. (2000). "Three dimensional OCT images from retina and skin." <u>Optics Express</u> 7(9): 292-298. |
|  | | Podoleanu, A. G., M. Seeger, et al. (1998). "Transversal and longitudinal images from the retina of the living eye using low coherence reflectometry." <u>Journal of Biomedical Optics</u> 3(1): 12-20. |
|  | | Poole, C. D. (1988). "Statistical Treatment of Polarization Dispersion in Single-Mode Fiber." <u>Optics Letters</u> 13(8): 687-689. |
|  | | Povazay, B., K. Bizheva, et al. (2002). "Submicrometer axial resolution optical coherence tomography." <u>Optics Letters</u> 27(20): 1800-1802. |
|  | | Qi, B., A. P. Himmer, et al. (2004). "Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror." <u>Optics Communications</u> 232(1-6): 123-128. |
|  | | Radhakrishnan, S., A. M. Rollins, et al. (2001). "Real-time optical coherence tomography of the anterior segment at 1310 nm." <u>Archives of Ophthalmology</u> 119(8): 1179-1185. |
|  | | Rogers, A. J. (1981). "Polarization-Optical Time Domain Reflectometry - a Technique for the Measurement of Field Distributions." <u>Applied Optics</u> 20(6): 1060-1074. |
|  | | Rollins, A. M. and J. A. Izatt (1999). "Optimal interferometer designs for optical coherence tomography." <u>Optics Letters</u> 24(21): 1484-1486. |
|  | | Rollins, A. M., R. Ung-arunyawee, et al. (1999). "Real-time in vivo imaging of human gastrointestinal ultrastructure by use of endoscopic optical coherence tomography with a novel efficient interferometer design." <u>Optics Letters</u> 24(19): 1358-1360. |
|  | | Rollins, A. M., S. Yazdanfar, et al. (2002). "Real-time in vivo colors Doppler optical coherence tomography." <u>Journal of Biomedical Optics</u> 7(1): 123-129. |
|  | | Rollins, A. M., S. Yazdanfar, et al. (2000). "Imaging of human retinal hemodynamics using color Doppler optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 41(4): S548-S548. |

Examiner



Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
| | | Sandoz, P. (1997). "Wavelet transform as a processing tool in white-light interferometry." <u>Optics Letters</u> 22(14): 1065-1067. |
| | | Sankaran, V., M. J. Everett, et al. (1999). "Comparison of polarized-light propagation in biological tissue and phantoms." <u>Optics Letters</u> 24(15): 1044-1046. |
| | | Sankaran, V., J. T. Walsh, et al. (2000). "Polarized light propagation through tissue phanto, ehms containing densely packed scatterers." <u>Optics Letters</u> 25(4): 239-241 |
| | | Sarunic, M. V., M. A. Choma, et al. (2005). "Instantaneous complex conjugate resolved spectral domain and swept-source OCT using 3x3 fiber couplers." <u>Optics Express</u> 13(3): 957-967. |
| | | Sathyam, U. S., B. W. Colston, et al. (1999). "Evaluation of optical coherence quantitation of analytes in turbid media by use of two wavelengths." <u>Applied Optics</u> 38(10): 2097-2104 |
| | | Schmitt, J. M. (1997). "Array detection for speckle reduction in optical coherence microscopy." <u>Physics in Medicine and Biology</u> 42(7): 1427-1439. |
| | | Schmitt, J. M. (1999). "Optical coherence tomography (OCT): A review." <u>Ieee Journal of Selected Topics in Quantum Electronics</u> 5(4): 1205-1215. |
| | | Schmitt, J. M. and A. Knüttel (1997). "Model of optical coherence tomography of heterogeneous tissue." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 14(6): 1231-1242. |
| | | Schmitt, J. M., S. L. Lee, et al. (1997). "An optical coherence microscope with enhanced resolving power in thick tissue." <u>Optics Communications</u> 142(4-6): 203-207. |
| | | Schmitt, J. M., S. H. Xiang, et al. (1998). "Differential absorption imaging with optical coherence tomography." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 15(9): 2288-2296. |
| | | Schmitt, J. M., S. H. Xiang, et al. (1999). "Speckle in optical coherence tomography." <u>Journal of Biomedical Optics</u> 4(1): 95-105. |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| 5/ | | Schmitt, J. M., M. J. Yadlowsky, et al. (1995). "Subsurface Imaging of Living Skin with Optical Coherence Microscopy." <u>Dermatology</u> 191(2): 93-98. |
| | | Shi, H., J. Finlay, et al. (1997). "Multiwavelength 10-GHz picosecond pulse generation from a single-stripe semiconductor diode laser." <u>Ieee Photonics Technology Letters</u> 9(11): 1439-1441. |
| | | Shi, H., I. Nitta, et al. (1999). "Demonstration of phase correlation in multiwavelength mode-locked semiconductor diode lasers." <u>Optics Letters</u> 24(4): 238-240. |
| | | Simon, R. (1982). "The Connection between Mueller and Jones Matrices of Polarization Optics." <u>Optics Communications</u> 42(5): 293-297. |
| | | Smith, P. J. M., E.M.; Taylor, C.M.; Selviah, D.R.; Day, S.E.; Commander, L.G. "Variable-Focus Microlenses as a Potential Technology for Endoscopy." |
| | | Smithies, D. J., T. Lindmo, et al. (1998). "Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation." <u>Physics in Medicine and Biology</u> 43(10): 3025-3044. |
| | | Sorin, W. V. and D. F. Gray (1992). "Simultaneous Thickness and Group Index Measurement Using Optical Low-Coherence Reflectometry." <u>Ieee Photonics Technology Letters</u> 4(1): 105-107. |
| | | Sticker, M., C. K. Hitzengerger, et al. (2001). "Quantitative differential phase measurement and imaging in transparent and turbid media by optical coherence tomography." <u>Optics Letters</u> 26(8): 518-520. |
| | | Sticker, M., M. Pircher, et al. (2002). "En face imaging of single cell layers by differential phase-contrast optical coherence microscopy." <u>Optics Letters</u> 27(13): 1126-1128. |
| | | Stoller, P., B. M. Kim, et al. (2002). "Polarization-dependent optical second-harmonic imaging of a rat-tail tendon." <u>Journal of Biomedical Optics</u> 7(2): 205-214. |
| | | Sun, C. S. (2003). "Multiplexing of fiber-optic acoustic sensors in a Michelson interferometer configuration." <u>Optics Letters</u> 28(12): 1001-1003. |

Examiner

James L. H.

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|--|
| | | Swanson, E. A., J. A. Izatt, et al. (1993). "In-Vivo Retinal Imaging by Optical Coherence Tomography." <u>Optics Letters</u> 18(21): 1864-1866. |
| | | Takada, K., A. Himeno, et al. (1991). "Phase-Noise and Shot-Noise Limited Operations of Low Coherence Optical-Time Domain Reflectometry." <u>Applied Physics Letters</u> 59(20): 2483-2485. |
| | | Takenaka, H. (1973). "Unified Formalism for Polarization Optics by Using Group-Theory I (Theory)." <u>Japanese Journal of Applied Physics</u> 12(2): 226-231. |
| | | Tanno, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." <u>Optics Letters</u> 19(8): 587-589. |
| | | Tan-no, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." <u>Optics Letters</u> 19(8): 587-589. |
| | | Targowski, P., M. Wojtkowski, et al. (2004). "Complex spectral OCT in human eye imaging in vivo." <u>Optics Communications</u> 229(1-6): 79-84. |
| | | Tearney, G. J., S. A. Boppart, et al. (1996). "Scanning single-mode fiber optic catheter- endoscope for optical coherence tomography (vol 21, pg 543, 1996)." <u>Optics Letters</u> 21(12): 912-912. |
| | | Tearney, G. J., B. E. Bouma, et al. (1996). "Rapid acquisition of in vivo biological images by use of optical coherence tomography." <u>Optics Letters</u> 21(17): 1408-1410. |
| | | Tearney, G. J., B. E. Bouma, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." <u>Science</u> 276(5321): 2037-2039. |
| | | Tearney, G. J., M. E. Brezinski, et al. (1996). "Catheter-based optical imaging of a human coronary artery." <u>Circulation</u> 94(11): 3013-3013. |
| | | Tearney, G. J., M. E. Brezinski, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." <u>Science</u> 276(5321): 2037-9. |
| | | Tearney, G. J., M. E. Brezinski, et al. (1997). "Optical biopsy in human gastrointestinal tissue using optical coherence tomography." <u>American Journal of Gastroenterology</u> 92(10): 1800-1804. |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245


Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)


Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|---|
|  | | Tearney, G. J., M. E. Brezinski, et al. (1995). "Determination of the refractive index of highly scattering human tissue by optical coherence tomography." <u>Optics Letters</u> 20(21): 2258-2260. |
| | | Tearney, G. J., I. K. Jang, et al. (2000). "Porcine coronary imaging in vivo by optical coherence tomography." <u>Acta Cardiologica</u> 55(4): 233-237. |
| | | Tearney, G. J., R. H. Webb, et al. (1998). "Spectrally encoded confocal microscopy." <u>Optics Letters</u> 23(15): 1152-1154. |
| | | Tearney, G. J., H. Yabushita, et al. (2003). "Quantification of macrophage content in atherosclerotic plaques by optical coherence tomography." <u>Circulation</u> 107(1): 113-119. |
| | | Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: I. Microscopic elliptical polarimetry." <u>Biophysical Journal</u> 81(5): 2954-2963. |
| | | Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: II. Fast harmonic analysis for imaging." <u>Biophysical Journal</u> 81(5): 2964-2971. |
| | | Troy, T. L. and S. N. Thennadil (2001). "Optical properties of human skin in the near infrared wavelength range of 1000 to 2200 nm." <u>Journal of Biomedical Optics</u> 6 (2): 167-176. |
| | | Vabre, L., A. Dubois, et al. (2002). "Thermal-light full-field optical coherence tomography." <u>Optics Letters</u> 27(7): 530-532. |
| | | Vakhtin, A. B., D. J. Kane, et al. (2003). "Common-path interferometer for frequency-domain optical coherence tomography." <u>Applied Optics</u> 42(34): 6953-6958. |
| | | Vakhtin, A. B., K. A. Peterson, et al. (2003). "Differential spectral interferometry: an imaging technique for biomedical applications." <u>Optics Letters</u> 28(15): 1332-1334. |
| | | Vakoc, B. J., S. H. Yun, et al. (2005). "Phase-resolved optical frequency domain imaging." <u>Optics Express</u> 13(14): 5483-5493. |
| | | van Leeuwen, T. G., M. D. Kulkarni, et al. (1999). "High-flow-velocity and shear-rate imaging by use of color Doppler optical coherence tomography." <u>Optics Letters</u> 24(22): 1584-1586. |

Examiner



Date Considered


11/10/66

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|--|--------------------------|
| Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office | Atty. Docket No. 187718/US - 475387-00245 | Serial No. 09/709,162 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | Applicant(s) Guillermo J. Tearney | |
| | Filing Date November 10, 2000 | Group 3737 |

| | | |
|----|--|--|
| JK | | Vansteenkiste, N., P. Vignolo, et al. (1993). "Optical Reversibility Theorems for Polarization - Application to Remote-Control of Polarization." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 10(10): 2240-2245. |
| | | Vargas, O., E. K. Chan, et al. (1999). "Use of an agent to reduce scattering in skin." <u>Lasers in Surgery and Medicine</u> 24(2): 133-141. |
| | | Wang, R. K. (1999). "Resolution improved optical coherence-gated tomography for imaging through biological tissues." <u>Journal of Modern Optics</u> 46(13): 1905-1912. |
| | | Wang, X. J., T. E. Milner, et al. (1997). "Measurement of fluid-flow-velocity profile in turbid media by the use of optical Doppler tomography." <u>Applied Optics</u> 36(1): 144-149. |
| | | Wang, X. J., T. E. Milner, et al. (1995). "Characterization of Fluid-Flow Velocity by Optical Doppler Tomography." <u>Optics Letters</u> 20(11): 1337-1339. |
| | | Wang, Y. M., J. S. Nelson, et al. (2003). "Optimal wavelength for ultrahigh-resolution optical coherence tomography." <u>Optics Express</u> 11(12): 1411-1417. |
| | | Wang, Y. M., Y. H. Zhao, et al. (2003). "Ultrahigh-resolution optical coherence tomography by broadband continuum generation from a photonic crystal fiber." <u>Optics Letters</u> 28(3): 182-184. |
| | | Watkins, L. R., S. M. Tan, et al. (1999). "Determination of interferometer phase distributions by use of wavelets." <u>Optics Letters</u> 24(13): 905-907. |
| | | Wetzel, J. (2001). "Optical coherence tomography in dermatology: a review." <u>Skin Research and Technology</u> 7(1): 1-9. |
| | | Wentworth, R. H. (1989). "Theoretical Noise Performance of Coherence-Multiplexed Interferometric Sensors." <u>Journal of Lightwave Technology</u> 7(6): 941-956. |
| | | Westphal, V., A. M. Rollins, et al. (2002). "Correction of geometric and refractive image distortions in optical coherence tomography applying Fermat's principle." <u>Optics Express</u> 10(9): 397-404. |
| | | Westphal, V., S. Yazdanfar, et al. (2002). "Real-time, high velocity-resolution color Doppler optical coherence tomography." <u>Optics Letters</u> 27(1): 34-36. |

Examiner



Date Considered

11/10/00

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|--|--|--|
| | | Williams, P. A. (1999). "Rotating-wave-plate Stokes polarimeter for differential group delay measurements of polarization-mode dispersion." <u>Applied Optics</u> 38(31): 6508-6515. |
| | | Wojtkowski, M., T. Bajraszewski, et al. (2003). "Real-time in vivo imaging by high-speed spectral optical coherence tomography." <u>Optics Letters</u> 28(19): 1745-1747. |
| | | Wojtkowski, M., A. Kowalczyk, et al. (2002). "Full range complex spectral optical coherence tomography technique in eye imaging." <u>Optics Letters</u> 27(16): 1415-1417. |
| | | Wojtkowski, M., R. Leitgeb, et al. (2002). "In vivo human retinal imaging by Fourier domain optical coherence tomography." <u>Journal of Biomedical Optics</u> 7(3): 457-463. |
| | | Wojtkowski, M., R. Leitgeb, et al. (2002). "Fourier domain OCT imaging of the human eye in vivo." <u>Proc. SPIE</u> 4619: 230-236. |
| | | Wojtkowski, M., V. J. Srinivasan, et al. (2004). "Ultrahigh-resolution, high-speed, Fourier domain optical coherence tomography and methods for dispersion compensation." <u>Optics Express</u> 12(11): 2404-2422. |
| | | Wong, B. J. F., Y. H. Zhao, et al. (2004). "Imaging the internal structure of the rat cochlea using optical coherence tomography at 0.827 μ m and 1.3 μ m." <u>Otolaryngology-Head and Neck Surgery</u> 130(3): 334-338. |
| | | Yabushita, H. B., B.E.; Houser, S.L.; Aretz, H.T.; Jang, I.; Schlendorf, K.H.; Kauffman, C.R.; Shishkov, M.; Halpern, E.F.; Tearney, G.J. "Measurement of Thin Fibrous Caps in Atherosclerotic Plaques by Optical Coherence Tomography." |
| | | Yang, C., A. Wax, et al. (2001). "Phase-dispersion optical tomography." <u>Optics Letters</u> 26(10): 686-688. |
| | | Yang, C., A. Wax, et al. (2001). "Phase-referenced interferometer with subwavelength and subhertz sensitivity applied to the study of cell membrane dynamics." <u>Optics Letters</u> 26(16): 1271-1273. |
| | | Yang, C. H., A. Wax, et al. (2001). "Phase-dispersion optical tomography." <u>Optics Letters</u> 26(10): 686-688. |
| | | Yang, C. H., A. Wax, et al. (2000). "Interferometric phase-dispersion microscopy." <u>Optics Letters</u> 25(20): 1526-1528. |

Examiner

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| JK | | Yang, V. X. D., M. L. Gordon, et al. (2002). "Improved phase-resolved optical Doppler tomography using the Kasai velocity estimator and histogram segmentation." <u>Optics Communications</u> 208(4-6): 209-214. |
| | | Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part I): System design, signal processing, and performance." <u>Optics Express</u> 11(7): 794-809. |
| | | Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part II): Imaging in vivo cardiac dynamics of <i>Xenopus laevis</i> ." <u>Optics Express</u> 11(14): 1650-1658. |
| | | Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part III): in vivo endoscopic imaging of blood flow in the rat and human gastrointestinal tracts." <u>Optics Express</u> 11(19): 2416-2424. |
| | | Yang, V. X. D., B. Qi, et al. (2003). "In vivo feasibility of endoscopic catheter-based Doppler optical coherence tomography." <u>Gastroenterology</u> 124(4): A49-A50. |
| | | Yao, G. and L. H. V. Wang (2000). "Theoretical and experimental studies of ultrasound-modulated optical tomography in biological tissue." <u>Applied Optics</u> 39(4): 659-664. |
| | | Yazdanfar, S. and J. A. Izatt (2002). "Self-referenced Doppler optical coherence tomography." <u>Optics Letters</u> 27(23): 2085-2087. |
| | | Yazdanfar, S., M. D. Kulkarni, et al. (1997). "High resolution imaging of in vivo cardiac dynamics using color Doppler optical coherence tomography." <u>Optics Express</u> 1 (13) : 424-431. |
| | | Yazdanfar, S., A. M. Rollins, et al. (2000). "Imaging and velocimetry of the human retinal circulation with color Doppler optical coherence tomography." <u>Optics Letters</u> 25(19): 1448-1450. |
| | | Yazdanfar, S., A. M. Rollins, et al. (2000). "Noninvasive imaging and velocimetry of human retinal blood flow using color Doppler optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 41(4): S548-S548. |
| | | Yazdanfar, S., A. M. Rollins, et al. (2003). "In vivo imaging of human retinal flow dynamics by color Doppler optical coherence tomography." <u>Archives of Ophthalmology</u> 121(2): 235-239. |

Examiner

June K. L.

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Yazdanfar, S., C. H. Yang, et al. (2005). "Frequency estimation precision in Doppler optical coherence tomography using the Cramer-Rao lower bound." <u>Optics Express</u> 13(2): 410-416. |
| | | Yun, S. H., C. Boudoux, et al. (2004). "Extended-cavity semiconductor wavelength- swept laser for biomedical imaging." <u>Ieee Photonics Technology Letters</u> 16(1): 293-295. |
| | | Yun, S. H., C. Boudoux, et al. (2003). "High-speed wavelength-swept semiconductor laser with a polygon-scanner-based wavelength filter." <u>Optics Letters</u> 28(20): 1981-1983. |
| | | Yun, S. H., G. J. Tearney, et al. (2004). "Pulsed-source and swept-source spectral- domain optical coherence tomography with reduced motion artifacts." <u>Optics Express</u> 12(23): 5614-5624. |
| | | Yun, S. H., G. J. Tearney, et al. (2004). "Removing the depth-degeneracy in optical frequency domain imaging with frequency shifting." <u>Optics Express</u> 12(20): 4822-4828. |
| | | Yun, S. H., G. J. Tearney, et al. (2004). "Motion artifacts in optical coherence tomography with frequency-domain ranging." <u>Optics Express</u> 12(13): 2977-2998. |
| | | Zhang, J., J. S. Nelson, et al. (2005). "Removal of a mirror image and enhancement of the signal-to-noise ratio in Fourier-domain optical coherence tomography using an electro-optic phase modulator." <u>Optics Letters</u> 30(2): 147-149. |
| | | Zhang, Y., M. Sato, et al. (2001). "Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement." <u>Optics Communications</u> 192(3-6): 183-192. |
| | | Zhang, Y., M. Sato, et al. (2001). "Resolution improvement in optical coherence tomography by optimal synthesis of light-emitting diodes." <u>Optics Letters</u> 26(4): 205-207. |
| | | Zhao, Y., Z. Chen, et al. (2002). "Real-time phase-resolved functional optical coherence tomography by use of optical Hilbert transformation." <u>Optics Letters</u> 27(2): 98-100. |
| | | Zhao, Y. H., Z. P. Chen, et al. (2000). "Doppler standard deviation imaging for clinical monitoring of in vivo human skin blood flow." <u>Optics Letters</u> 25(18): 1358-1360. |

Examiner

Tearney

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Zhao, Y. H., Z. P. Chen, et al. (2000). "Phase-resolved optical coherence tomography and optical Doppler tomography for imaging blood flow in human skin with fast scanning speed and high velocity sensitivity." <u>Optics Letters</u> 25(2): 114-116. |
| | | Zhou, D., P. R. Prucnal, et al. (1998). "A widely tunable narrow linewidth semiconductor fiber ring laser." <u>IEEE Photonics Technology Letters</u> 10(6): 781-783. |
| | | Zuluaga, A. F. and R. Richards-Kortum (1999). "Spatially resolved spectral interferometry for determination of subsurface structure." <u>Optics Letters</u> 24(8): 519-521. |
| | | Zvyagin, A. V., J. B. FitzGerald, et al. (2000). "Real-time detection technique for Doppler optical coherence tomography." <u>Optics Letters</u> 25(22): 1645-1647. |
| | | Marc Nikles et al., "Brillouin gain spectrum characterization in single-mode optical fibers", <u>Journal of Lightwave Technology</u> 1997, 15 (10): 1842-1851. |
| | | Tsuyoshi Sonehara et al., "Forced Brillouin Spectroscopy Using Frequency-Tunable Continuous-Wave Lasers", <u>Physical Review Letters</u> 1995, 75 (23): 4234-4237. |
| | | Hajime Tanaka et al., "New Method of Superheterodyne Light Beating Spectroscopy for Brillouin-Scattering Using Frequency-Tunable Lasers", <u>Physical Review Letters</u> 1995, 74 (9): 1609-1612. |
| | | Webb RH et al. "Confocal Scanning Laser Ophthalmoscope", <u>Applied Optics</u> 1987, 26 (8): 1492-1499. |
| | | Andreas Zumbusch et al. "Three-dimensional vibrational imaging by coherent anti-Stokes Raman scattering", <u>Physical Review Letters</u> 1999, 82 (20): 4142-4145. |
| | | Katrin Kneipp et al., "Single molecule detection using surface-enhanced Raman scattering (SERS)", <u>Physical Review Letters</u> 1997, 78 (9): 1667-1670. |
| | | K.J. Koski et al., "Brillouin imaging" <u>Applied Physics Letters</u> 87, 2005. |
| | | Boas et al., "Diffusing temporal light correlation for burn diagnosis", <u>SPIE</u> , 1999, 2979:468-477. |
| | | David J. Briers, "Speckle fluctuations and biomedical optics: implications and applications", <u>Optical Engineering</u> , 1993, 32(2):277-283. Clark et al., "Tracking Speckle Patterns with Optical Correlation", <u>SPIE</u> , 1992, 1772:77-87. |

Examiner

[Signature]

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| OK | | Clark et al., "Tracking Speckle Patterns with Optical Correlation", <u>SPIE</u> , 1992, 1772:77-87. |
| | | Facchini et al., "An endoscopic system for DSPI", <u>Optik</u> , 1993, 95(1):27-30. |
| | | Hrabovsky, M., "Theory of speckle displacement and decorrelation: application in mechanics", <u>SPIE</u> , 1998, 3479:345-354. |
| | | Sean J. Kirkpatrick et al., "Micromechanical behavior of cortical bone as inferred from laser speckle data", <u>Journal of Biomedical Materials Research</u> , 1998, 39(3):373-379. |
| | | Sean J. Kirkpatrick et al., "Laser speckle microstrain measurements in vascular tissue", <u>SPIE</u> , 1999, 3598:121-129. |
| | | Loree et al., "Mechanical Properties of Model Atherosclerotic Lesion Lipid Pools", <u>Arteriosclerosis and Thrombosis</u> , 1994, 14(2):230-234. |
| | | Podbielska, H. "Interferometric Methods and Biomedical Research", <u>SPIE</u> , 1999, 2732:134-141. |
| | | Richards-Kortum et al., "Spectral diagnosis of atherosclerosis using an optical fiber laser catheter", <u>American Heart Journal</u> , 1989, 118(2):381-391. |
| | | Ruth, B. "blood flow determination by the laser speckle method", <u>Int J Microcirc: Clin Exp</u> , 1990, 9:21-45. |
| | | Shapo et al., "Intravascular strain imaging: Experiments on an Inhomogeneous Phantom", <u>IEEE Ultrasonics Symposium</u> 1996, 2:1177-1180. |
| | | Shapo et al., "Ultrasonic displacement and strain imaging of coronary arteries with a catheter array", <u>IEEE Ultrasonics Symposium</u> 1995, 2:1511-1514. |
| | | Thompson et al., "Imaging in scattering media by use of laser speckle", <u>Opt. Soc. Am. A.</u> , 1997, 14(9):2269-2277. |

Examiner

Jim KL

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|---|
| JH | | Thompson et al., "Diffusive media characterization with laser speckle", <u>Applied Optics</u> , 1997, 36(16):3726-3734. |
| | | Tuchin, Valery V., "Coherent Optical Techniques for the Analysis of Tissue Structure and Dynamics," <u>Journal of Biomedical Optics</u> , 1999, 4(1):106-124. |
| | | M. Wussling et al., "Laser diffraction and speckling studies in skeletal and heart muscle", <u>Biomed. Biochim. Acta</u> , 1986, 45(1/2):S 23- S 27. |
| | | T. Yoshimura et al., "Statistical properties of dynamic speckles", <u>J. Opt. Soc. Am A</u> , 1986, 3(7):1032-1054 |
| | | Zimnyakov et al., "Spatial speckle correlometry in applications to tissue structure monitoring", <u>Applied Optics</u> 1997, 36(22): 5594-5607. |
| | | Zimnyakov et al., "A study of statistical properties of partially developed speckle fields as applied to the diagnosis of structural changes in human skin", <u>Optics and Spectroscopy</u> , 1994, 76(5): 747-753. |
| | | Zimnyakov et al., "Speckle patterns polarization analysis as an approach to turbid tissue structure monitoring", <u>SPIE</u> 1999, 2981:172-180. |
| | | Ramasamy Manoharan et al., "Biochemical analysis and mapping of atherosclerotic human artery using FT-IR microspectroscopy", <u>Atherosclerosis</u> , May 1993, 181-1930. |
| | | N.V. Salunke et al., "Biomechanics of Atherosclerotic Plaque" <u>Critical Reviews™ in Biomedical Engineering</u> 1997, 25(3):243-285. |
| | | D. Fu et al., "Non-invasive quantitative reconstruction of tissue elasticity using an iterative forward approach", <u>Phys. Med. Biol.</u> 2000 (45): 1495-1509. ** |
| | | S.B. Adams Jr. et al., "The use of polarization sensitive optical coherence tomography and elastography to assess connective tissue", <u>Optical Soc. of American Washington</u> 2002, Page 3 ** |

Examiner

Sam KH

Date Considered

11/16/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|------|--|---|
| CS/1 | | International Search Report for International Patent application No. PCT/US2005/039740. |
| | | International Written Opinion for International Patent application No. PCT/US2005/039740. |
| | | International Search Report for International Patent application No. PCT/US2005/030294. |
| | | International Written Opinion for International Patent application No. PCT/US2005/043951. |
| | | International Search Report for International Patent application No. PCT/US2005/043951. |
| | | Erdelyi et al. "Generation of diffraction-free beams for applications in optical microlithography", J. Vac. Sci. Technol. B 15 (12), Mar/Apr 1997, Pages 287-292. |
| | | International Search Report for International Patent application No. PCT/US2005/023664. |
| | | International Written Opinion for International Patent application No. PCT/US2005/023664. |
| | | Tearney et al., "Spectrally encoded miniature endoscopy" Optical Society of America; Optical Letters Vol. 27, No. 6, March 15, 2002; pages 412-414 |
| | | Yelin et al., "Double-clad Fiber for Endoscopy" Optical Society of America; Optical Letters Vol. 29, No. 20, October 16, 2005; pages 2408-2410 |
| | | International Search Report for International Patent application No. PCT/US2001/049704. |

Examiner

Juan L

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
187718/US - 475387-00245

Serial No.
09/709,162

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
November 10, 2000

Group
3737

| | | |
|----|--|--|
| OK | | International Search Report for International Patent application No. PCT/US2004/039454. |
| | | International Written Opinion for International Patent application No. PCT/US2004/039454. |
| | | PCT International Preliminary Report on Patentability for International Application No. PCT/US2004/038404 dated June 2, 2006 |
| | | Notice of Reasons for Rejection and English translation for Japanese Patent Application No. 2002-538830 |
| | | Copy of Office Action dated August 24, 2006 for U.S. Patent Application No. 10/137,749 |

4815-3885-2864\1
4852-4500-2497\1

Examiner

John LA

Date Considered

11/10/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.